



SIMULATORS IN AVIATION MAINTENANCE TRAINING: A DELPHI STUDY

Robert M. Herrick, Ph.D.
Joann B. Wright, B.A.
Richard A. Bromberger, Ph.D.
Aircraft and Crew Systems Technology Directorate
NAVAL AIR DEVELOPMENT CENTER
Warminster, Pennsylvania 18974

10 DECEMBER 1977

AIRTASK NO. A413413A 0016 X413000030

DDC PRAFRITISH APR 17 1978

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

Prepared for NAVAL AIR SYSTEMS COMMAND Department of the Navy Washington, D.C. 20361

NOTICES

REPORT NUMBERING SYSTEM - The numbering of technical project reports issued by the Naval Air Development Center is arranged for specific identification purposes. Each number consists of the Center acronym, the calendar year in which the number was assigned, the sequence number of the report within the specific calendar year, and the official 2-digit correspondence code of the Command Office or the Functional Directorate responsible for the report. For example: Report No. NADC-78015-20 indicates the fifteeth Center report for the year 1978, and prepared by the Systems Directorate. The numerical codes are as follows:

OFFICE OR DIRECTORATE
Commander, Naval Air Development Center
Technical Director, Naval Air Development Center
Comptroller
Directorate Command Projects
Systems Directorate
Sensors & Avionics Technology Directorate
Communication & Navigation Technology Directorate
Software Computer Directorate
Aircraft & Crew Systems Technology Directorate
Planning Assessment Resources
Engineering Support Group

PRODUCT ENDORSEMENT - The discussion or instructions concerning commercial products herein do not constitute an endorsement by the Government nor do they convey or imply the license or right to use such products.

APPROVED BY:

M. PASSAGLIA, JR.

Captain, USN/

Deputy Director, ACSTD

DATE: 2/1/28

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTA	The second secon	READ INSTRUCTIONS BEFORE COMPLETING FOR
1. REPORT NUMBER	2. GOVT ACCESSIO	N NO. 3. RECIPIENT'S CATALOG NUMBER
NADC-78015-60	deta were lort w	(7) asup 692
TITLE (and Subtitio)	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	TIPE OF BERONT & PERIOD COV
Simulators in Aviation Mainte	nance Training:	Technical Kepat Final
A Delphi Study •	ente nose utiv b	Zechnical Report Final
AT . BETOVERED STANDARD FROM FROM FROM FROM FROM FROM FROM FROM	te discussion some	ADDEDED TRUE AND A ADDED
AUTHOR(A)		8. CONTRACT OR GRANT NUMBER(
Robert M. Herrick, Joann B. W	right and	
Richard A. Bromberger		
PERFORMING ORGANIZATION NAME AND AD		10. PROGRAM ELEMENT, PROJECT, AREA & WORK UNIT NUMBERS
Aircraft and Crew Systems Tec (Code 604)	hnology Director	ate
Naval Air Dévelopment Center		
Warminster, PA 18974 Controlling office name and address		IR. REPORT DATE
Naval Air Systems Command (Co		// 19 Dec 2077
Department of the Navy	(13. NUMBER OF PAGES
Washington, DC 20361 14. MONITORING AGENCY NAME & ADDRESS(III	dillerent from Controlling Oli	111 (ice) 15. SECURITY CLASS. (of this report)
The state of the s	and the completing of	is decision density (or any report)
(12)11000		Unclassified
		15a. DECLASSIFICATION/DOWNGRAM
16. DISTRIBUTION STATEMENT (of this Report)		
Approved for public release;	distribution unl	imited
17. DISTRIBUTION STATEMENT (of the abetrect e	ntered in Block 20, if differe	ent from Reptar De 17 1818
		Will May 1977
16. SUPPLEMENTARY NOTES		Misson E
19. KEY WORDS (Continue on reverse elde il neces		ambor)
Aircraft maintenance training		
Simulators for maintenance to Delphi study	raining	
Navy training		
Training devices		
IO. ASSTRACT (Continue on reverse side if neces	ary and identify by block mu	mber)
This study gathered expert of aviation maintenance technical	inion on the use	or simulators for training
successive questionnaires wer		
asked what information an add	ministrator neede	d to decide between simulat
and real equipment for train	ing at a Naval Av	iation Maintenance Training
October 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	information requi	rements were the areas of co
Detachment. Included under		
content, economics, life-cyc	les, repairs, stu	dents and instructors. Sugg
content, economics, life-cyc. ted sources of information we	les, repairs, stu ere considered.	dents and instructors. Sugg

393 532 L

UNCLASSIFIED

UNC LASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

The feasibility, training effectiveness, and cost effectiveness of simulators for maintenance training for nine aircraft systems.

The questionnaire data were analyzed separately for Navy and Marine maintenance instructors (n = 26) and for all the other experts (professors, manufacturers, researchers, administrators) combined (n = 34). Although both groups agreed with each other in most areas, a few differences that may have significant practical applications were uncovered. The data should interest those associated with simulators used for training.

bas JoharyW L & amsol , Kolmyski

SECURITY CLASSICATION OF THIS PLACE PRINCIPLE

SUMMARY

The aim of this study was to gather expert opinion on the use of simulators for training technicians at Naval Aviation Maintenance Training Detachments (NAMTRADETs). The information collected was based on the expectation that the Navy will replace real equipment with simulators for training technicians in future years.

The opinions were collected with three successive questionnaires completed by 60 experts representing a variety of job categories—
Navy and Marine instructors, simulator manufacturers, university professors, researchers, and administrators. In the second and third questionnaires of the series, each expert was provided with the group's responses to the preceding questionnaire, and allowed to revise his previous opinion, a method of data collection known as the Delphi technique.

The questionnaires asked what information an administrator needed to decide between simulators and real equipment for training at a NAMTRADET. Also included was an estimate of how much effort would be required to obtain the needed information. Subsumed under information requirements were items on course content, economic considerations, life-cycle considerations, repair considerations, physical considerations, and considerations about instructors and students. Additionally, the experts judged the usefulness of various sources of information, both personnel and documents.

Also, on the assumption that an administrator had decided to procure a simulator, the questionnaires asked the experts to judge the importance of addressing various issues and to estimate the frequency with which each such issue had been addressed in the past.

Finally, the experts were asked to rate the feasibility, training effectiveness, and cost effectiveness of simulators for maintenance training for nine aircraft systems, separately for 0-level and I-level maintenance.

The questionnaire data were analyzed separately for the Navy and Marine maintenance instructors (n = 26) and for all the other experts combined (n = 34). Although both groups agreed with each other in most areas, a few differences that may have significant practical implications were uncovered. For example, the instructor group disagreed among themselves concerning the feasibility, training effectiveness, and cost effectiveness of simulation for I-level maintenance training while the other experts were often in agreement and generally in favor of simulation for I-level training.

The results of the study should be of use to administrators, training analys, and planners, instructors, simulator manufacturers, and evaluators of maintenance simulators.

TABLE OF CONTENTS

		Page
I.	INTRODUCTION	1
	an entergance wasts dried formetten ever emiliation off.	
II.	DATA COLLECTION PROCESS	1
	a. Delphi Technique	1
		3
	c. Questionnaire One	4
		5
	e. Questionnaire Three	6
III.	FINAL RESULTS	6
	Laif tol insurface feat bas browledge asserted an out of	
	a. Groups	6
	b. Consensus	7
	c. Data analyses	7
	d. Reordering of items	7
	e. Reading tables	8
	f. Results	9
	g. Comments of experts	11
IV.	RECOMMENDED USE OF RESULTS	11
v.	REFERENCES	31
	LIST OF TABLES	
, N.52.	Finally, the exports were saked to ware the feasibil	
1.	Composition of experts participating in Delphi study of simulators in aviation maintenance training	4
2.	Illustration of table items and definitions for	
aris	table symbols	10
othur	Marine reintenance instructors (n = 28) and for all the	
L.	Information Required for Decision Making Course Content Considerations	12
	Economic Considerations	15
	Life Cycle Considerations	17
	Repair Considerations	18
	Physical Considerations	20
	Considerations about Instructors and Students	22
II.	Sources of Information for Decision Making	
	Personnel	24
	Documents	26

		Page
III.	Issues to be Addressed in Procuring Simulators	. 27
IV.	Feasibility, Training Effectiveness, and Cost Effectiveness of Simulators for Organizational- Level Aircraft Maintenance Training at NAMTRADETs.	29
v. `	Feasibility, Training Effectiveness, and Cost Effectiveness of Simulators for Intermediate-Level Aircraft Maintenance Training at NAMTRADETs	30
A-1.	Number of experts returning questionnaires of Delphi study	A-1
A-2.	Number of experts used as a basis for computing percentages for questionnaire tables	A-2
	Questionnaire One Tables	Appendix
	Questionnaire Two Tables	Appendix
	Questionnaire Three Tables	Appendix
F-1.	Number of balls randomly assigned to each of five urns assuming equal probability (p = .20) that any of the 20 balls will fall in any urn	F-2
	LIST OF FIGURES	
F-1.	Distributions of interquartile ranges derived from Monte Carlo simulations with five response categories	F-4
	APPENDIXES	
A	Participation of experts in the Delphi study	A-1
В	Expert participants in Delphi study of simulators in aviation maintenance training	B-1
С	Questionnaire One and the material provided with Questionnaire One	C-1
D	Questionnaire Two and the material provided with Questionnaire Two	D-1
E	Questionnaire Three and the material provided with Questionnaire Three	E-1
F	Statistical analyses of data	F-1
G	Summary of comments made by experts	G-1

I. INTRODUCTION

In the last few years about 30 simulators for aviation maintenance training have been introduced into Naval Aviation Maintenance Training Detachments (NAMTRADETs). With the expectation that many more simulators will be used at NAMTRADETs in future years, the Weapons Training Division, Code 413, of Logistics/Fleet Support of the Naval Air Systems Command tasked the Naval Air Development Center (NAVAIRDEVCEN), Code 6043, to report on the area of simulators for aviation maintenance training.

Although the literature on simulators in aviation is vast, almost all reports address the functions of air crews, not maintenance personnel. Moreover, the studies on simulators in aviation maintenance training that do exist are mostly descriptions of techniques or concepts still in the research and development stage or descriptions of field evaluations of simulators. Most of what is known, or at least believed, is grounded not on experimental data or theoretical foundations but on experience or best guesses based on a general knowledge of simulation and training.

Since the only extensive source of information is expert opinion, the decision was made to systematically collect and organize such expert opinion. The technique selected to obtain the experts' opinions was the Delphi Technique, a procedure devised by the Rand Corporation about thirty years ago.

The Delphi Technique has been used in a variety of ways to obtain expert opinion on a variety of topics. For examples of the uses of the Delphi Technique, experimental evaluations of the Technique, as well as criticisms of the Technique, see Cooper, 1974; Dodge & Clark, 1977; Helmer, 1966, 1967; Linstone & Turoff, 1975; Quade & Boucher, 1968; Sackman, 1974.

The Delphi Technique, as employed in the present study, will be described in Section II, Data Collection Process.

II. DATA COLLECTION PROCESS

a. Delphi Technique

In the first questionnaire submitted to the experts, the Delphi Technique was described as follows:



The Delphi Technique is a method for obtaining and organizing the independent opinions of experts. The technique is based upon a series of questionnaires. The first questionnaire consists of a few general questions designed to evoke discussion of the selected topic by the experts. In their responses to the first questionnaire, the experts identify the areas of relevance and importance, describe their knowledge, provide examples and experiences to support their opinions, suggest problems, offer solutions. In short, in the first questionnaire the experts try to get at the essence of the topic under consideration. (Typically, the first questionnaire requires the most thought and time by the expert.)

The responses to the first questionnaire are analyzed, organized, and converted into individual items for the second questionnaire. Thus, by this procedure, the experts themselves, not the coordinator, determine the content of the second (and subsequent) questionnaires.

The format of the second questionnaire is like that of a typical questionnaire: the expert is presented with a series of items that he checks to indicate that he agrees or disagrees with a statement, or that an area is important or unimportant, or an approach is feasible or infeasible. In most cases, the response required is not simply a Yes-No, agreedisagree response, but a rating on a scale. For instance, the expert might be asked to check his preference on a 5-point scale varying from 1 (strongly agree) to 5 (strongly disagree).

The results of the second questionnaire are summarized by the coordinator and presented to the experts in the third questionnaire for further consideration. The aim of the Delphi Technique is to obtain a consensus of opinion on the topic under consideration.

Sometimes the Delphi Technique is continued through four or five or more questionnaires, with the goal of obtaining a consensus of opinion on every item. Because of a tight time schedule, the present application of the Delphi Technique will be limited to three successive questionnaires.

In many ways, the Delphi Technique accomplishes what one may accomplish by a well-run conference addressing a specific topic. The Delphi Technique, however, has certain advantages over a conference:

- 1. It gives each expert the opportunity to express his opinions without intimidation by other experts or by higher military or civilian authorities.
- 2. It allows the expert to express his hunches and half-thought-out opinions with impunity since responses are not attributed to any expert by name.
- 3. It provides the expert with the benefit of opinions from a variety of other experts with different orientations and biases.
- 4. It gives the expert the chance to leisurely examine the opinions of other experts before reacting.

b. Selection of Experts

To obtain opinions from experts who perceived simulators in different ways, experts with a variety of job categories were selected. Simulator manufacturers, university professors, administrators, researchers, and users of simulators (Navy and Marine aviation maintenance instructors) participated. From an initial pool of about 125 experts, invitations to participate were extended, by telephone or in person, to 62 experts. Sixty experts completed some or all of the three questionnaires (See Appendix A).

The composition of the experts is summarized in Table 1. As Table 1 indicates, there were 26 Navy and Marine aviation maintenance instructors. This group, the users of maintenance simualators, was purposely large in order to allow meaningful comparisons with the other experts. In the text that follows, the 26 instructors will be called the NAMTRADET group and the other 34 experts, collectively, will be termed the NON-NAMTRADET group.

The names and addresses of all participants are listed in Appendix B. $\,$

Table 1

Composition of experts participating in Delphi study of simulators in aviation maintenance training

Work -	Institutional affiliation													
Category	Navy	Marines	Army	Air Force	Other Govern- ment	Industry	Univer- sity	Total						
Aviation maintenance	olimico d Inac	al datu er pe yne o:	roinigi Balu	it-out . Attit	lf-trough s are not	11 02								
instructor	23	3						26						
Administrator	10		1911	10 1000 Canal	ia sv i do Lina aro	4	1	18						
Researcher	3		4	1		5	1	14						
Consultant						2		2						
Total	36	3	5	2	e-nointsel	11 d	2	60						

c. Questionnaire One

Appendix C presents Questionnaire One, the material that accompanied the questionnaire, and the cover letter. The description of the Delphi Technique is omitted from Appendix C because it was given above. The material accompanying Questionnaire One oriented the expert to the Delphi Technique, described the training situation at a NAMTRADET, defined operational (real) equipment and simulators, and described maintenance levels in the Navy. The instructions to Questionnaire One pointed out that the study:

- (1) is limited to maintenance training at NAMTRADETS,
- (2) includes both O-level and I-level (but not depot level) maintenance training, and
- (3) is limited to simulator systems that cost no more than \$200,000.

Part of Questionnaire One consisted of four essay questions. Here is one of the four questions:

(1) General Comparisons.

If you were serving as an advisor to Naval administrators and were asked to list the advantages and disadvantages of simulators and the advantages and disadvantages of operational equipment for aviation maintenance training, how would you respond?

Another part of Questionnaire One, namely, Question V, required the expert to rate, on 5-point scales, the feasibility, training effectiveness, and cost effectiveness of simulation for nine aircraft systems (e.g., propulsion, electrical and instrument), separately for 0-level and I-level maintenance. Question V was included because at least two Navy agencies had issued recommendations for simulating (or not simulating) aircraft systems for use in training, without documentation for their recommendations. Responses to Question V should provide a firmer basis for such recommendations.

The development of Questionnaire One, as well as subsequent questionnaires, was aided by inputs from members of NAVAIRDEVCEN, Code 604, and from aviation maintenance technicians assigned to NAS Willow Grove, Pennsylvania.

d. Questionnaire Two

Appendix D presents Questionnaire Two along with the cover letter. The sections on the Delphi Technique (given above) and on the background material (given in Appendix C) are omitted from Appendix D, although they were included with the material sent to the experts.

The development of Questionnaire Two was based on the responses to Questionnaire One, along with some additional material generated by the authors. Section I of Questionnaire Two assumed that an administrator faced the problem of deciding between a simulator and operational equipment to be used in a course at a NAMTRADET. In Section I the expert was asked to judge the utility of given information, and to judge the difficulty of obtaining such information. Section I also asked the expert to evaluate possible sources of information, both personnel and documents.

Section II of Questionnaire Two assumed that the administrator had decided to use a simulator, and asked the expert (a) to evaluate the issues to be considered to implement the simulator decision, and (b) to estimate how frequently these issues had been addressed in the past.

The second part of the development of Questionnaire Two consisted of summarizing the responses to Question V of Questionnaire One, namely, the material on feasibility, training effectiveness and cost effectiveness of simulators for O-level and I-level maintenance training. The procedure was to tally the number of experts selecting each of the five alternatives for each aircraft system for each category (e.g., feasibility), convert into percentages, and round each percentage to the nearest whole number. (See Appendix A for details on the number of questionnaires completed.)

The group's percentages were inserted in the tables which were then resubmitted to the experts as Section III of Questionnaire Two. For each item, each expert's own selection was circled in red to remind him of his previous selection (on Questionnaire One) while he examined the group's percentages to the same item. The expert was allowed to retain his previous selection or change to another alternative.

e. Questionnaire Three

Appendix E presents Questionnaire Three, along with its cover letter and a personnel data sheet.

The development of Questionnaire Three consisted of merely summarizing the results of Questionnaire Two and converting to percentages. (See Appendix A on the details of the number of experts contributing to the percentage calculations.)

A few new items, suggested by the experts when completing Questionnaire Two, were included in Questionnaire Three.

The tables on feasibility, cost effectivenesss, and training effectiveness, for O-level and I-level maintenance, initially presented in Questionnaire One and resubmitted in Questionnaire Two, were omitted from Questionnaire Three.

III. FINAL RESULTS

This section presents the tables of Questionnaire Three and the tables on simulators for O-level and I-level maintenance training from Questionnaire Two.

a. Groups

* Although the questionnaires were presented to the experts as if the experts comprised a single group, in the analysis given

here, the total group was subdivided into two sub-groups: the NAMTRADET group, which consisted of the Navy and Marine maintenance instructors, and the NON-NAMTRADET group, which included all others. The NAMTRADET group consisted of 26 experts; the NON-NAMTRADET group consisted of 34 experts. For each group the data were analyzed and summarized separately, and then the two groups were compared.

b. Consensus

One aim of the Delphi Technique is to determine the items on which the experts are in agreement, i.e., the items on which there is a consensus of opinion. In Appendix F, the problem of defining consensus is discussed and a mathematical index of consensus is derived: if the interquartile range, namely, $P_{75}-P_{25}$, of a distribution of judgements to an item is less than 1.30, consensus exists; if the interquartile range is equal to or greater than 1.30, no consensus exists.

c. Data analyses

For each item of the tables, the 25th, 50th (the median), and 75th percentiles of the distribution of judgements were computed. Also, the interquartile range, namely, $P_{75} - P_{25}$, was computed to determine if a consensus of opinion existed.

For each item, the distribution of judgements of the NAMTRADET group was compared with the distribution of judgements of the NON-NAMTRADET group by the two-sample Kolmogorov-Smirnoff test (See Appendix F).

d. Reordering of items

For each section of each table to be presented, the items were listed according to two criteria. First, the items on which a consensus of opinion existed for either group were listed first. Second, within the list of consensus items, the order followed according to the value of the median (P50)—the lower the median, the earlier in the listing. When two or more categories of responses existed for an item (e.g., the categories "Need for information" and "Effort required to obtain information"), the ordering was based on the first category listed for the item. [The non-consensus items followed the consensus items, according to the value of the median.]

The principal purpose of reordering the items was to present, in a simple fashion, items on which the experts agreed, listed according to the importance attributed to the item.

e. Reading tables

Table 2 is an aid to reading Tables I, II, III, IV, and V that follow. The format and symbols illustrated in Table 2 were derived to summarize the results of the study without getting bogged down in numerical trivia.

Consensus, as discussed earlier (See Appendix F), is defined as a distribution of judgments that yields an interquartile range less than 1.30; that is, consensus exists when $(P_{75} - P_{25}) < 1.30$. In Table 2, an arrow represents consensus. A dashed arrow represents consensus for the NAMTRADET group; a solid arrow represents consensus for the NON-NAMTRADET group.

The scale on top of Table 2 represents the five alternatives, 1, 2, 3, 4, 5 and the vertical line on each side of a scale number represents the lower and upper limits of that number; thus the vertical line to the left of 1 represents the value 0.50 and the vertical line to the right of 1 represents 1.499. Similarly, the vertical line to the left of 2 designates 1.50 (or 1.499) and the vertical line to the right of 2 designates 2.499; etc..

An arrow points to the median (P_{50}) of the distribution of responses, referred to the scale just discussed. Thus, in item 20, for the Effort category, for the NON-NAMTRADET group the arrow designates $P_{50}=2.3$, which falls in the alternative Slight Effort. For the same item and category, the arrow for the NAMTRADET group indicated $P_{50}=1.4$, which falls in the alternative Little Effort.

When both the NAMTRADET group and the NON-NAMTRADET group demonstrated consensus, and their medians differed by 0.25 or less, the data for both groups were represented by a single double-headed arrow, as in item 1 of Table 2.

Nonconsensus in Table 2 is represented by a horizontal line and a dot. The line and dot refer to the scale discussed above. The left end of the horizontal line designates P_{25} , the right end designates P_{75} , and the dot designates P_{50} . A dashed line represents the NAMTRADET group; a solid line represents the NON-NAMTRADET group. In item 1 of Table 2, the dashed horizontal line indicates non-consensus for the NAMTRADET group, with distribution values of $P_{25} = 1.5$, $P_{50} = 2.3$, and $P_{75} = 3.1$.

Some items in Tables I - V referred both to simulators and to operational (real) equipment. In such cases, instead of repeating the item, the item was presented once but the expert made two judgments, one considering the item as referring to a simulator (S) and the other considering the item as referring to operational equipment (0). Item 20 of Table 2 illustrates such an item.

An asterisk (*) in a box indicates that the NAMTRADET and the NON-NAMTRADET distributions differed significantly (.05 level, two tailed, two-sample, Kolmogorov-Smirnoff test). The Effort category of item 20 indicates such a significant difference between the distributions of the two groups.

f. Results

The final results of the Delphi study are presented in Tables I through V.


A few general remarks may be made about the tables. Table I, concerning the information needed to decide between simulators and operational equipment, indicates that, on about 80% of the items, both the NAMTRADET group and the NON-NAMTRADET group indicate a consensus of opinion, the opinion being that the need for information is crucial or extremely useful. Both groups also agree, in general, that a moderate effort would be required to obtain such information.

Table II indicates a reasonable agreement for both groups on what sources, both personnel and documents, should be consulted to acquire the needed information.

As noted earlier, many of the individual items in Table III are items that summarize several items of Table I. For example, "Verify that course objectives are met with the simulation system" summarizes a number of items in the Course Content section of Table I. In Table III all experts agree that the need to address most issues was crucial or extremely useful. There was, however, generally no agreement, for either group, on the past performance in addressing an issue.

Table IV, concerning organizational-level maintenance training, indicates that both the NAMTRADET and the NON-NAMTRADET groups concur in the opinion that simulators are more cost effective than operational equipment. With regard to the feasibility of simulation for different aircraft systems, however, the NON-NAMTRADET experts agree, among themselves, that simulation is definitely feasible for all systems except propulsion while the NAMTRADET members agree, among themselves,

Table 2
Illustration of table items and definitions for table symbols



that simulation is feasible for only four systems. For training, the NON-NAMTRADET group agree that simulation is more effective for most aircraft systems while the NAMTRADET experts fail to agree with each other on the training effectiveness for any system.

Table V, addressing intermediate-level maintenance, shows the greatest differences between the NAMTRADET and NON-NAMTRADET groups; in 15 of the 27 comparisons in this table, the two groups differed at a statistically significant level. Within the NAMTRADET group, a lack of consensus occurred on all but five occasions, and these five instances of consensus were votes against simulation. The NON-NAMTRADET experts agreed among themselves on 12 of the 27 occurrences, and all 12 agreements were in favor of simulation. In general, the NAMTRADET instructors hold a rather dim view of simulation for intermediate-level maintenance training while the NON-NAMTRADET experts feel, at least for some systems, that simulation is both feasible and cost effective.

g. Comments of experts

The experts were encouraged to provide comments when completing the questionnaires. Such comments, roughly classified in categories, are reproduced in Appendix G.

IV. RECOMMENDED USE OF RESULTS

The findings summarized in Tables I - V can serve as a check-list for a variety of personnel associated with simulators for aviation maintenance training. The administrator can employ the data tables to decide whether to buy a simulator or operational equipment, and the areas he should consider if he decides to buy a simulator. Others concerned with task analyses, learning objectives, design, manufacture, support and updating, and other areas can consult the tables as a starting point for their work assignments. The data of Tables I - V should be of use to administrators, training analysts and planners, Navy and Marine instructors, manufacturers, and evaluators of maintenance simulators.

Table V indicates that the NAMTRADET instructors disagree among themselves on the feasibility, training effectiveness, and cost effectiveness of simulators for I-level maintenance training. This disagreement may result from a lack of experience, since most maintenance simulators in the fleet are 0-level, not I-level simulators. When the NAMTRADET instructors do agree with each other, they have a negative attitude toward I-level maintenance simulators. This finding suggests problems of user acceptance will probably develop when I-level maintenance simulators are introduced into the fleet in quantity. Steps to facilitate user acceptance should be instituted now.

Table I. Information Required for Decision Making
COURSE CONTENT CONSIDERATIONS

	ZTMAI Devi	an an phe l		eed Fo		n ines Ilabe So is			requir		1
etc-level enjurynance, show WANTERDET and JON-MATERDET in this type prouse it level. Withing the two prouse it level withing the lands of the series against also as the series against also as the series of a simulation. It is not a rather dim view of nerhance training while the for some systems, that simulation incoments, tonguly classific comments, tonguly classific and it is a series as a check that also with simulators for its simulation on account of the series as a check that also with simulators for its simulation on amploy the day instituter can employ the can em	t use	CRUCIALthe information must be obtained	EXTREMELY USEFULthe information should be obtained	USEFULthe information probably should be obtained	OPTIONALthe information might be obtained	TRIVIALthe information need not be obtained	requires LITTLE EFFORT to obtain information	requires SLIGHT EFFORT to obtain information	requires MODERATE EFFORT to obtain information	requires MAJOR EFFORT to obtain information	requires EXTREME EFFORT to obtain information
Item of information		1.	2	3	4	5	:1:	2	3	4	5
1. THE TRAINING OBJECTIVES OF THE COURSE	7 14 1 7 14 1	1	olas qu ba zalt	usta us IT Na Sa	, Lab eqque Elnas	10000 , 8%1 8 6 8	o ati dos ti s eo.	MARIO MARIO LIGACI			
2. THE ABILITY OF THE DEVICE	s	1	1	or in the si	enane Navy enane	*	l sai malq de s	bes top	†		
TO DUPLICATE ACUTAL OPER- ATING CONDITIONS	0	1	7865 21243	6831 6831	us i bet e do	1 V 1	Idal dagi	tipei	*		
3. A DETAILED DESCRIPTION OF EACH TASK THE STUDENY MUST PERFORM	151 - 1 2 251 1 6 33	*		interior Christian Christian			ectiv egree shee	17.15 (6.1 2. (8.23	-	1	*
4. THE REQUIREMENT FOR "HANDS-ON" EXPERIENCE	14 SE 14 SE 195 M	*		end tempt	albud bud bus	inanc Inan Iore	enije Stive Siete	got (Sun	*		
5. LIST OF MALFUNCTIONS (FAULTS) THAT THE MAINTEN- ANCE MAN MUST RECOGNIZE AND CORRECT ON THE JOB	BLus	1	aka Epcan	955	ta eu	r 293	ilion Lipei	03	1		

COURSE CONTENT CONSIDERATIONS

Need for Street information obtain i				leed fo				Effort			ı
STIETE ELLOBE L'ILFE ELLOBE DELINIE CELINIE DE	EXCENSEA OREAN	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
Item of information	\$ 1	1	2	3	4	5	1	2	3	4	E
6. LISTS OF FAULTS THAT CAN	s	1			4 4 80 4 4 80 10 21940	et vales Pla 124 Dia Blas	DE TOUR	178 23.4	4.		
AND CANNOT BE INSERTED INTO THE DEVICE	0	1	<u></u>	90 S	R DESIGN	20 1 10 (A D.1 - 11 (A B H.1)	O CONTRACTOR	IGA IGO	*	1	
7. THE CRITERIA USED TO EVALUATE THE STUDENT'S PERFORMANCE FOR EACH TASK		1	3	MRO*	GUUO BBR C	ele (A IT, TIA)	SEAT H	8447 84.33 †	1		*
8. THE TOOLS, TEST EQUIPMENT, AND DOCUMENTATION AVAIL- ABLE TO THE STUDENT DUR- ING TRAINING AND TESTING		1		ADT I	OWIND	MARE.	ul 29Ti Diving	*			
9. THE TOOLS, TEST EQUIPMENT, AND DOCUMENTATION AVAIL- ABLE TO THE STUDENT TO PER- FORM EACH TASK ON THE JOB		*		ACIE	90 80	100 TM 100 TM	dadini dadini	-1	•-		
10. THE CAPABILITY OF THE DE- VICE FOR DEMONSTRATING	s	1	1	20 m	26 T.A. (\$29)	0 // 1/ 30/07 1/3 30/0 7/40	PARCES PARES 3 Religion	A A DE ACI ACI	†		
SAFETY PROCEDURES	0	1	1			*			*		
11.ANALYSIS OF FREQUENT FAIL- URES AND REPAIRS OF THE WEAPON SYSTEM		1	1		2511U0) 10 371		DIEW E	STE ISM VIII			
12. THE AMOUNT OF FEEDBACK TO THE STUDENT ABOUT HIS PERFORMANCE		1	1	03A3	OULINE COLUNE BKS	(13 Y) (4) 324	THE LIP	NA NA	*1-		
13. THE AMOUNT OF FEEDBACK TO THE INSTRUCTOR ABOUT STUDENT PERFORMANCE			*	G504	4.9388	NOS.	DIMING	AHT KE	*		
14. THE AVAILABILITY OF OTHER COURSES WHICH MIGHT MEET THE OBJECTIVES OF THE			A .			1		•	1-		

COURSE CONTENT CONSIDERATIONS

										Need forma					rt requ		
MAZOR EFFORT	MODELINGE FEEDING		TALFE EELOBA	BIALVE		OSELNT	EXABEMETA DREUDE	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
			Item	or int	ormat	tion		1	2	3	4	5	1	2	3	4	5
	A.	S	TRUCTI	ONAL A	IDS (e.	g.,			1	•		21 J C A	1 10	. 	* †-		
		A	DOITIO	NAL TR	AINING				*	9997	(B24)	321V	MINE D	GMA GTM	†		
	i i	T	HE STU	DENT			%			1	DIT. TIMESO HIJA D	0520 A 012 34 002 30	SSTIR STAU AMRO	9. 3147 ,841. 9 (48) 3.7.	*1		
		R	OUTES	(i.e., BRA		STATE OF THE PARTY				1	HARPING V.S. HIE I TV BI	1 11077 17 11 110 111 11 11	0.10e1 00.000 0.00	1347 384 1384	1	•	
	**									!	API LOS VAL MO TOTAL TAN	TAT HE	Supple Su	- -e -	-		
		10	CAL EN	VIRONA	MENT	ON THE			8	*	397 A	o yn.	ELA TA	1	27		*
		M	ULTIPLE	E FAULT	S FOR				•			AL ES	289 Y	CAPAS	*		
	<u></u>	S	IZE, WE	IGHT)	REQUI	RED TO	1		•	E THE	H TWSI	ADBAS ALASSY MBS	0 818 V 0 818 V	1			
		23. T	HE NE	NTLY E	NCOU	NTERED				1000 1001	8037- TUOB	4 40 3 4 72(90 3:	ALIGNAL SUPER SAN MALISTER	1 2 4 5 1 2 4 5 1 5 1 2 4 5 1 5 1	*		
	3				SELI	F-PACED	·			- <u>- •</u>	dinasis Rai pri Anka	TOURS	ANTERNA SASTER	T OT	-		
	TROPE	OFUVAL FERONAL	15.T S L 16.T A C 17.TT E E 18.T A L 19.T A L 19.T S N T T 23.T F N T 24.T I	15. THE AVA STRUCTI LESSON 6 16. THE AM ADDITIO QUIRED O 17. THE TIM THE STU EACH TA: 18. THE NEE ROUTES LEARNIN 19. THE AMO PROVIDE 20. A DESCR ICAL EN JOB (e.g., 21. THE NEE MULTIPLI SINGLE F 22. THE PHY SIZE, WE MEET T TIVES 23. THE NE FREQUE MAINTEN 24. THE NEI	Item of inf 15. THE AVAILIBILITY STRUCTIONAL A LESSON PLANS, MESSON PLA	Item of information of the struction of the student to peach task 15. The Availibility of Structional aids (e. Lesson Plans, Movie 16. The Amount and tadditional training Quired on the Job 17. The time it should the student to peach task 18. The need for alter Routes (i.e., Branchillearning) 19. The Amount of supe Provided on the Job 19. The Amount of the Ical Environment Job (e.g., Heat, Noise) 20. A DESCRIPTION OF THE ICAL ENVIRONMENT JOB (e.g., Heat, Noise) 21. The Need to Demon Multiple faults for Single Failure 22. The Physical Fidelic Size, Weight) Required Meet the Course Tives 23. The Need to Include Frequently Encourage Tives 24. The Need for Selice 19.	Item of information 15. THE AVAILIBILITY OF INSTRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING REQUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYSICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJECTIVES 23. THE NEED TO INCLUDE INFREQUENTLY ENCOUNTERED MAINTENANCE TASKS	Item of information 15. THE AVAILIBILITY OF INSTRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING REQUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYSICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJECTIVES 23. THE NEED TO INCLUDE INFREQUENTLY ENCOUNTERED MAINTENANCE TASKS	Item of information 1 15. THE AVAILIBILITY OF IN- STRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING RE- QUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYS- ICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJEC- TIVES 23. THE NEED TO INCLUDE IN- FREQUENTLY ENCOUNTERED MAINTENANCE TASKS 24. THE NEED FOR SELF-PACED	Item of information 1 2 15. THE AVAILIBILITY OF INSTRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING REQUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYSICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJECTIVES 23. THE NEED TO INCLUDE INFREQUENCY TIVES 24. THE NEED FOR SELF-PACED	Item of information 1 2 3 15. THE AVAILIBILITY OF IN- STRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING RE- QUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYS- ICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJECT TIVES 23. THE NEED TO INCLUDE IN- FREQUENTLY ENCOUNTERED MAINTENANCE TASKS	Item of information 1 2 3 4 15. THE AVAILIBILITY OF IN- STRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING RE- QUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.g., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20.A DESCRIPTION OF THE PHYS- ICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJEC- TIVES 23. THE NEED TO INCLUDE IN- FREQUENTLY ENCOUNTERED MAINTENANCE TASKS	Item of information 1 2 3 4 5 15. THE AVAILIBILITY OF IN- STRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAININING RE- QUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYS- ICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJECT TIVES 23. THE NEED TO INCLUDE IN- FREQUENTLY ENCOUNTERED MAINTENANCE TASKS 24. THE NEED FOR SELF-PACED	Item of information 1 2 3 4 5 1 15. THE AVAILIBILITY OF IN. STRUCTIONAL AIDS (*, g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING RE. QUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (*, g., SRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYS- ICAL ENVIRONMENT ON THE JOB (*, g., HEAT, NOISE) 21. THE MEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (*, g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJEC. TIVES 23. THE NEED TO INCLUDE IN- FREQUENTLY ENCOUNTERED MAINTENANCE TASKS 24. THE NEED FOR SELF-PACED	Item of information 1 2 3 4 5 1 2 15. THE AVAILIBILITY OF IN- STRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AMOUNT AND TYPE OF ADDITIONAL TRAINING RE- QUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYS- ICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULUS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJEC- TIVES 22. THE NEED TO INCLUDE IN- FREQUENTLY ENCOUNTERED MAINTENANCE TASKS	Item of information 1 2 3 4 5 1 2 3 15.THE AVAILIBILITY OF INSTRUCTIONAL AIDS (a.g., LESSOR PLANS, MOVIES) 16.THE AMOUNT AND TYPE OF ADDITIONAL TRAINING REQUIRED ON THE JOB 17.THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.e., GRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYSICAL ENVIRONMENT ON THE JOB (a.g., HEAT, NOISE) 21. THE NEED TO DOEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (a.g., SIZE, WEIGHT) REQUIRED TO MEET THE COURSE OBJECTIVES 23. THE NEED TO INCLUDE INFREQUENTLY PROVIDED TO MEET THE COURSE OBJECTIVES 23. THE NEED TO INCLUDE INFREQUENTLY PROVIDED TO MEET THE COURSE OBJECTIVES 23. THE NEED TO INCLUDE INFREQUENTLY PROVIDED TO MICE THE COURSE OBJECTIVES 24. THE NEED FOR SELF-PACED	Item of information 1 2 3 4 5 1 2 3 4 15. THE AVAILIBILITY OF INSTRUCTIONAL AIDS (e.g., LESSON PLANS, MOVIES) 16. THE AVAILIBILITY OF INSTRUCTIONAL TRAINING REQUIRED ON THE JOB 17. THE TIME IT SHOULD TAKE THE STUDENT TO PERFORM EACH TASK 18. THE NEED FOR ALTERNATIVE ROUTES (i.a., BRANCHING) FOR LEARNING 19. THE AMOUNT OF SUPERVISION PROVIDED ON THE JOB 20. A DESCRIPTION OF THE PHYSICAL ENVIRONMENT ON THE JOB (e.g., HEAT, NOISE) 21. THE NEED TO DEMONSTRATE MULTIPLE FAULTS FOR A SINGLE FAILURE 22. THE PHYSICAL FIDELITY (e.g., SIZE, WEIGHT) REQUIRED TO MEET THE COUNSE OBJECTIVES 23. THE NEED TO INCLUDE INFREQUENTLY ENCOUNTERED MAINTENANCE TASKS 24. THE NEED FOR SELF-PACED

ECONOMIC CONSIDERATIONS

en motta Ini matdo	Need for	normia qui			Need forma					t requi		
Item of in	oformation		- CRUCIAL	N EXTREMELY USEFUL	ω USEFUL	OPTIONAL	ர TRIVIAL	LITTLE EFFORT	N SLIGHT EFFORT	ω MODERATE EFFORT	MAJOR EFFORT	σ EXTREME EFFORT
		s	*						-	1		
25.THE COST TO	BUY EACH DEVICE	0	*	0	H	Q# 3 PE	acural Sound	DEVEN STMLA SORVE	*	İ		
26. THE FUNDS THE PROJECT	AVAILABLE FOR		*		C BACI	12040	OT TR	270 344	1-	-		
		s	*		2330 34	areya i	45 8A 40 4A34	3917 D		-		
FOR EACH DE	OR SPARE PARTS	0	*							1		
28. THE COST TO		s	1		WA TRO	392UAN 301V30	OT TE	ioo ak da fak	T.EE	11		
NAMTRADET USE DEVICE	FACILITIES TO	0	1							*		
	ID NUMBER OF IN-	s	*		otvad otvad	HOAS	ANEX E	834 G 90 G	1 mg	*		
PERSONNEL V DEVICE		0	*							*		
		s	*							-=		
	O REPAIR EACH	0	*						_	٠_		
					1	1						

ECONOMIC CONSIDERATIONS

						Need for				iı	Need nforma		ı		Effort			ı			
EXTREME SECORT	MWICH ELLOWS	MODERATE SECONT	STICHT CERONG					EXIDEBIETA RBERIAL	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT			
		<u> </u>	2	Item	of inf	ormat	ion		1	2	3	4	5	1	2	3	4	5			
							ROUTINE	s	1	2						*					
				MAINTER DEVICE		OF EAC		0	*							*					
			D		DEVICE				s	†	А	03.a.z8	BAJIAV	A 20)	UR 69 0000 30	17. BS 17. BS	11	L	-		
			ı	N THE	WEAPON	SYSTE	MS	0	*						(T 32	-*					
		1		1	4 4	33. THE		ST TO T		DET AND	s	A			30	IVBO R	JAB RO	†			
		笡	11	NSTALI	EACH	DEVICE		0	A		_			800 SH	*						
		1					Acces -	s		<u> </u>			30.	790-12	1	1					
		4					DEVICE	0	1		1 10 A3	ICHOUSE TOLOR	ONE T	KID 3H	T.85	^		*			
		1										JAD (-1	145 139		9						

LIFE CYCLE CONSIDERATIONS

tend for Estor responding to the control of the con				Need format					ort req		
Item of information	EXERTMENA DEBUNT	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
		1	2	3	4	5	_1_	2	3	4	5
35.THE LENGTH OF TIME RE- QUIRED TO PROCURE, DE-	s	1				etwa:	ATINICES BA 8 JO		†		
LIVER, AND INSTALL THE DEVICE	0	*	0		Olved	16,25, 8 1	IA ISA	DV	11		
36. THE AVAILABILITY OF INFOR- MATION NEEDED TO DEVELOP A TRAINING COURSE 37. THE TIME AVAILABLE TO	ă.	†	8	21000 38 0	92 80° 1 33°C 3	87.03 80 PS	ESPICE SUPPLEMENT	es files Vij	11		
TRAIN THE PERSONNEL REQUIRED TO SUPPORT THE WEAPON SYSTEM		1							1		
38. FOR A NEW WEAPON SYSTEM, THE DELIVERY DATES FOR FLEET INTRODUCTION		†	8	ZIRLO	SATE S	o ytal	GBAJIA BAJIA	V. 1	1		*
39.THE EXPECTED LIFE OF THE WEAPON SYSTEM		1	0				RIAS		1	-	
40.THE NUMBER OF MAINTEN- ANCE PERSONNEL REQUIRED TO SUPPORT THE WEAPON SYSTEM		4	а	16 °30	/19 (10 S)	14 46 B	ar ante	47,537	*		
41.THE ANTICIPATED FRE- QUENCY AND COMPLEXITY OF MODIFICATIONS OF THE WEAPON SYSTEM		1	!							1	
42.POLITICAL PREFERENCES FOR DIFFERENT DEVICES	s		-	etos.	THO IS	A-3 -35 0 Entat	T 487	48.EX	†		
DIFFERENT DEVICES	0	_	o. 	`		-			1		
43. THE ANTICIPATED CAPABILITIES OF SIMULATORS IN THE NEXT FEW YEARS		-								<u>-</u>	

REPAIR CONSIDERATIONS

to) beel) and the desired and	0			leed fo					requi		
MODEBVIE EREGRI STIGHL ELEORI LUINIVE GLIGORYE GREENE	SYLHEMETA REFAIL	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
Item of information		1	2	3	4	5	1	2	3	4	5
44.REQUIREMENTS FOR SPECIAL TOOLS AND TEST EQUIPMENT	s	1	1	333	36.36	30 HT	DATE I	SHT &	†		
TO REPAIR EACH DEVICE	0	*	1		3H# 35	iatemi	30.14 JA	e (K) I Vale	†		
45.REQUIREMENTS FOR SPECIAL-	s	*		Figh	21 70 S V30 0	CILITEA CUSOZ	JAV. BURG	3M7 8 (1202	#		
LY TRAINED PEOPLE TO RE-	0	*	1	3167	UE IV MEL MORT	13 K 278	Takin Seli Vi Sio Rai	10.07 TO 10.07 TO 10.07	1		
46.AVAILABILITY OF SPARE	s	*			SALES DV SAS		A WES	RO/ 8 8H7			
PARTS IF DEVICE REQUIRES REPAIR	0	*		BHT	40 ST	J OST Mate	NATION OF	3117 E1 4314	•-		
47.ESTIMATES OF FREQUENCY OF	s	4	†		1) AM Dis 58 G397 - S	JAMADO	BREE S		4		
REPAIR FOR EACH DEVICE	0	A	†		SIR TILBUS	WHEN	CONTROL ESE YOU	TETE T	*		
48.EXTENT OF FACTORY SUP- PORT REQUIRED TO REPAIR	s	1	8					erant.	-1		
DEVICE	0		0				t sale:	PALO	٨		

REPAIR CONSIDERATIONS

					peal/i meotel			Need forma					t requ		
			180ATURE		CREEKTE SACHEMETA MERENT	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
8	It	em of	inforn	nation	5 5	1	2	3	4	5	1	2	3	4	5
1			OF AVE	ERAGE TII EVICE	ME S	4	1	TAH:	5.14 E 3.0 85 0 350	ULAUCI SULULA AL WAY IS JACTA	HOE 3 HO BO HAM J ABROX	\$60 .00 27W 21'U	<u>†</u>		
				Y OF CO	s	<u> </u>	<u>.</u>		SETTE -	O 840	SKÇIK 1	BHT AG	<u>†</u>		
		ING RE	DEVIC PAIR	E HE-	o	•	_•	†		16 T 5/8	AT 3HY	TA :	1		
	STUD	ENTS		THAT T		1 -		07 EL	MBUUSI SI BHT	RO RE	Muse Train	SS. THI	†		
	DEVI	CE			o		- • -						†		
	52.REQUIREMENTS FOR SPECIAL DOCUMENTATION TO REPAIR		14	'	HUNE To	RC Y	Transa Bedr	eva : u zon	O SHT AS						
1		DEVIC		IO REPA	O		<u> </u>						1		
		4										L		1	1

PHYSICAL CONSIDERATIONS

Need for: Effo; trequelemention obtain to to				Need f				Effor obtain		ired to	
Item of information	EXCHEMETA CARLOC	CRUCIAL	N EXTREMELY USEFUL	ω USEFUL	OPTIONAL	m TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
			2	,	110	5	110		3	4	5
53. THE SCHEDULING FLEXIBIL- ITY OF THE COURSE (i.e., WHAT	S		18	2001	- 50 / 10		- EQUATION	0.052.0	<u>Ŧ</u>		
WILL HAPPEN IF THE DEVICE IS INOPERATIVE?)	0	1	o i		301V	10 +04	I RIAR	ine)	*		
54.THE NUMBER OF STUDENTS WHO COULD USE EACH DEVICE	s	1	1	481US	0 30 1	rti.Hai		†			
AT THE SAME TIME	0	1	1			HA		*			
55. THE NUMBER OF STUDENTS TO BE TRAINED WITH THE DEVICE	s	1	1	amt	7,411	0000	13 a M 13	_•			
IN ONE YEAR	0	1	A				34	4			
56.THE DURABILITY OF EACH DEVICE UNDER FREQUENT	s	1	12			39 278		uosii.			
USE	0	*	10	Haye.		Secretary (DEVIC	HORE	*		
57. THE ELECTRICAL OR OTHER	s	1	4.					\			
POWER REQUIREMENTS FOR EACH DEVICE	0		<u></u>				-1	·			

PHYSICAL CONSIDERATIONS

				leed format						ired to mation	
	KLEEWELA DZEBNE	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
Item of information		1	2	3	4	5	mg	2	3	4	Ę
58.THE CLASS TIME THAT MIGHT	s		†						* 1	1	*
BE SAVED WITH EACH DEVICE	0		1	YRULA	2 3 1 1 2	O VAS NECES	2 3H*	00 01	^	1	*
59.THE PERCENTAGE OF THE	s			_			•	•			
CLASS TIME THE DEVICE WILL BE USED	0		1-	07 (3)	81403. 3	# 8# <i>0</i>	(2) ye 16 (1) k 1 7		<u> </u>		
60.THE DIMENSIONS AND WEIGHT	s		_	<u> </u>	JRYLAN William Japan	30 10 651319 651161					
A A A	0		<u></u>	günte Signa		ac 150	.4	 -			
61.THE DURATION OF THE COURSE	Barr		4	27630	ITE AC	21001		<u> </u>			
62. THE PROBLEMS ASSOCIATED	s		0 -	11	304	30 180	3 100	*			
WITH MOVING AND STORING EACH DEVICE	0			11	AE IA AITHS	MOLTAN TO E PO	U () a an U () a an U () a u () a U () a u () a U () a u () a	1			
63. THE NUMBER OF SITES WHERE	s							4			
EACH DEVICE WILL BE USED	0	-	- -	104470	MC 43	Yuc	14 BAC	1			
								-	1		1

CONSIDERATIONS ABOUT INSTRUCTORS AND STUDENTS

	t benus discrete					Need for	ni			leed format						red to	
TROUTS SWEET				TRIMINI	QAECONY.	marshif	EXTREMÉCA OPENDE	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
		8	Item	of info	rmatic	on .	8_	1	2	3	4	[*] 5	1	2	3	4	5
		64.				s	1	• • –	Y HD tha	TAST	SIZET ZE	8.10 FI	9T.80	†			
		8	64.THE LIKELIHOOD THAT THE DEVICE MAY CAUSE INJURY TO THE STUDENT				0	*	0						†		
		65.	SS.THE AMOUNT OF TRAINING OF INSTRUCTORS REQUIRED TO USE EACH DEVICE				s	_•	-1-	NT a	d aby	167.74	39 St	CT.HE	f -		
						ED TO	0	٠.					0820	.a	• -		
		66	THE EXTENTED TOR'S EX WITH MASYSTEM	XPERIEN	NCE WO	RKING	•		1	1	S AND	MODERNI SOLO S	90) (2. 3) 8. 402 (3.		-		
			THE EXTI	PERIEN						<u>-</u>				<u></u>		4	
		68.	THE ATT			DENTS	s	*			3HT 10	NOTE	AUN SI SENUI	(7.78 20.00	-		
		4	ABOUT E	ACH DE	VICE		0		4-	<u>*</u>	CESA.	2883	1234 2	97 52	-1		
		69	THE EDU GROUND STUDENT	OF POT				-	٠.			330	13 0 410	-1			
		70	THE ATT	TITUDES	OF IN	STRUC-	s		:	en franc	BBTIE B JJW	1.0 M 10 M	akon a ag ets	VT.E8	• 1-		
			TORS A	BOUT I	EACH (DEVICE	0	 code							* -		
	i_																

CONSIDERATIONS ABOUT INSTRUCTORS AND STUDENTS

Jawkosa	q		eed fo		E			requir inforn		
Need to ec					, a					
best to construct the state of	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
Item of information	1	2	3	4	5	1	2	3	4	5
71.THE MAINTENANCE EXPERI- ENCE OF POTENTIAL STUDENTS	-	•	<u>-</u> _					<u>-</u> -		
118 2 1					1		1	1	ı	ı

CONSIDERATIONS ABOUT INSTRUCTORS Table II. Sources of Information for Decision Making

PERSONNEL

	requir							PE	RSONNEL					
											Need	to co	nsult	
MANAGES ESBORIG		CFICHE ELEGINE		TRIMIN	DELIONAL	nestruc		ergocial		culted	PROBABLY VERY USEFUL <u>should</u> be consulted	USEFUL - probably should be consulted	bed	UNNECESSARY - need not be consulted
				18						Con	FUL	ed bli	Insuc	not b
									NITEMANICE EXPERI- POTEMITAL		Y USE	nous Vi	OPTIONAL - might be consulted	-need
											VER	obab	-mig	ARY.
										TOP	ЗГУ	pr	IAL.	ESS/
										NDA	OBA	FUL	LION	NEC
										A	PR	USE	OP	3
				S	ource (of info	rmati	on		1	2	3	4	5
	*	1. INS	TRUCT	ORS OF	THE CO	URSE			•					
		2. MA	NUFAC	TURERS	OF SIM	IULATO	RS			1				
			EARCH		NNEL E	XPERIE	NCED V	WITH SI	MULATORS USED FOR	1				
		4. TRA	LINING	ANALY	STS			g.		1		_		
		5. PEF	SONNI	EL DOIN	G THE N	MAINTE	NANCE	JOB IN	THE FLEET	*				
		6. COA	PANIE	S WITH	THE PO	TENTIA	L FOR	MANUF	ACTURING SIMULATORS	4				
	ė	7. INS	TRUCT	ORS WH	O ARE	TEACH	ING WIT	TH SIMU	LATORS		† †			
	The second second													LOS MONTH IN

PERSONNEL

i best Nysec:				-		leed to		T -
			Source of information	MANDATORY	PROBABLY VERY USEFUL	USEFUL	OPTIONAL	UNNECESSARY
Г				1	2	3	4	5
	8. NA	VY MAN	AGEMENT	VYSNA NOS P CERT RAIS	*			
	9. INS	TRUCTO	DRS TEACHING SIMILIAR COURSES	THE PROPERTY OF A COMMON COMMO	*			
	10.NA	VY SUPP	LY SPECIALISTS	TAS ADMA	SORT R	1		
	11.NA	VY PROC	CUREMENT SPECIALISTS	89 85 W 9901	- 9 -			*
	12.STU	DENTS	OF THE COURSE	CHE ESTAG	20 2 20	-1		
	13.NA	VY SCHO	OOL ADMINISTRATORS	Invest ESTTLE	134.63	•		
	14.NA	VY SAFE	TY SPECIALISTS	20, 713765 11,17163 110703010 210	AGE DAR	<u>:</u>		
	15.AIR	CRAFT	MANUFACTURER	THE PARTY PA				
100	16.GR	ADUATE	S OF THE COURSE	100 240		-:		
	17.MA	NUFACT	URERS OF AIRCRAFT COMPONENTS					
						L		

DOCUMENTS

								Need to		
			Sauraa	f information		MANDATORY	PROBABLY VERY USEFUL	USEFUL	OPTIONAL	UNNECESSARY
			Source of	mormation	nothi to smuo2	1	2	3	-	5
8	18.MAI	NTENANO	CE MANUALS FOR	THE WEAPON SY	STEM					
	CON	CEPT FO	CE PLAN(i.e., WRIT OR SYSTEM AND ISKS, LEVEL OF R ENT)	EQUIPMENT, IN	CLUDING MAIN-	‡	281.8			
					RECORD OF PERSONNEL PPORT THE EQUIPMENT)	†	usur ni			
	21.TEC	HNICAL I	DATA PLAN (i.e., W S NECESSARY TO (RITTEN DESCRIP OPERATE AND SU	TION OF ALL INFOR- PPORT THE EQUIPMENT)	*	VAN. 71			
3 4- 1	MA	TION AID	S NECESSARY TO	OPERATE AND SU	TION OF ALL INFOR- PPORT THE EQUIPMENT) INTENANCE SIMULATORS	* *	V88.71		7	
	22.RE	SEARCH A	S NECESSARY TO	REPORTS ON MA	PPORT THE EQUIPMENT)	***	VAV. 11			
	22. RES 23. FLI 24. FAC BOA	SEARCH A	NECESSARY TO C	REPORTS ON MA	INTENANCE SIMULATORS IN RECORD OF SHIP-	* ** *	1	-		
	22.RE: 23.FLI 24.FAC BOA FAC 25.TRA	SEARCH A IGHT MAN CILITIES F ARD, SHO CILITIES) ANSPORT	AND EVALUATION UALS OF THE WE, REQUIREMENTS PL RE, OPERATIONAL	REPORTS ON MA APON SYSTEM AN (i.e., WRITTEI , MAINTENANCE LING PLAN(i.e., W	INTENANCE SIMULATORS I RECORD OF SHIP- AND TRAINING	* * *	1	<u>-</u>		*
	22.RES 23.FLI 24.FAC BOX FAC 25.TR/ PAC REC	SEARCH A IGHT MAN CILITIES F ARD, SHOO CILITIES) ANSPORTA CKAGING, DUIREMEI	AND EVALUATION IUALS OF THE WEA REQUIREMENTS PL RE, OPERATIONAL ATION AND HAND, HANDLING, STOR	REPORTS ON MA APON SYSTEM .AN (i.e., WRITTEI ., MAINTENANCE LING PLAN(i.e., W IAGE, AND TRANS	INTENANCE SIMULATORS I RECORD OF SHIP- AND TRAINING	A 44 41 -11	1	1		*

Table III. Issues to be Addressed in Procuring Simulators

									to adan issu					erform ssing a		
							ddressed	sue should be addressed	- the issue probably should be addressed	e addressed	oe addressed	issue ALMOST ALWAYS has been addressed in the past	addressed in the past	issue OCCASIONALLY has been addressed in the past	issue INFREQUENTLY has been addressed in the past	issue ALMOST NEVER has been addressed in the past
							t be a	-the issue	ably s	ght b	not	has t	peen	as be	as pe	as be
							CRUCIALthe issue must be addressed	EXTREMELY USEFUL-	the issue prob	the issue might be addressed	TRIVIAL the issue need not be addressed	ST ALWAYS	FREQUENTLY has been addressed	SIONALLY	EQUENTLY h	ST NEVER h
		Issu	e to be	e addr	essed		CRUCIAL-	EXTREME	USEFUL	OPTIONAL-	TRIVIAL-		issue FREC	issue OCC	issue INFR	
ſ	JEC	RIFY	THAT ARE M	COURS ET WIT	E OB-		1	2	3	4	5	1	2	3	4	5
	2. INS TO SP/ NE	SURE TI OLS, DO ARE PA	HAT ADDOUMENTS. AVAILA	EQUAT NTATIO AND PI	N. ERSON- OR RE-	1	#		BRILLE	HAN W	184 BV	DRO 13 P STY	AA au	•		
	FE	CTIVEN	E THE TESS OF	BY TE	SIMU-		#			CT DUN		AUSA MART				
	TE	ACH IN	H PROG STRUCT LATORS	TORS H	OW TO	1	*		40 100	TO ALL	RIGHT TEYER	IDPRI PLATE	WELL TO THE STREET			
	5. INS	SURE T	HE TRA	REPARE	D FOR		*		74.11		gris i		1	†		
-	ST	RUCTO	ADEQUAR TRAIN	NING FO	OR USE		1		197	1 20		TO ST		-1		
1						-		1	1 7 A 343	1000	ALTERIA	100	TO SECOND			1

						to add					erforma sing ar		
Pass na past in the past	2803				EXTREMELY USEFUL				ALMOST ALWAYS addressed	FREQUENTLY addressed	OCCASIONALLY addressed	NFREQUENTLY addressed	ALMOST NEVER addressed
recession as	bessetting of	pts ad paron		CRUCIAL	EXTREME	USEFUL	OPTIONAL	TRIVIAL	ALMOST A	FREQUEN	OCCASION	INFREQUE	ALMOST N
Issu	ue to be add	ressed		1	2	3	4	5	1	2	3	4	5
	ROVISIONS FO			*						. – –	1-		
ATED WIT	ALL COSTS AS TH THE SIMUL STIMATES		88 1 88 8 8	A	1						•-	-	
OPMENT OF THE S 10. ESTABLI CHANNE TION BE	SH AND MONI- HEDULES FOR AND INSTA- SIMULATOR SH EFFECTIVE LS OF COM- TWEEN INSTE	R DEVEL- LLATION E IMUNICA-	EX 688		\ <u>\</u>	bess	າເກີນີ້ຄ	ed of s	lssu	<u>†</u>			
11.VERIFY FREQUE	NAGEMENT THAT ACTUAL NCY AND "DO HIN ESTIMATE	OWNTIME"		4	1	80 I	PRICE TWO TO	*	24); 83)(17	180 J			
FACTORS	ADEQUATE HUS DESIGN R	REQUIRE-			†	403	11 AUD 11 AUD 12 AUD 21 AUD			CIAI IOT IOT	1		
13. EVALUA FORMAN	TE INSTRUCT	TOR PER-		-	† -	-19 DI -UMIZ DINI 72	SULAY SIALA SIT	S DEN SS OF STEN	TAU T	1.			*
ING FRO	ALL EFFECTS M INTRODUC OR SYSTEM				*			RUERS LOORS TRUCT	GIJSA GIJSA GI MS		•		*
STRUCTO TITUDES	SH FOLLOW S TO MONI OR AND STUD TOWARD 1	TOR IN-			#	ar 371	E DIRTI	ART 2	TENE				
16. ESTABLE	SH AND MONIT				1		d As ING FO	FUERO. WIART	L SBU	etsi, i			
	OVERUSE OF AS A TOY			-								4	

Table IV. Feasibility, Training Effectiveness, and Cost Effectiveness of Simulators for Organizational-Level Aircraft Maintenance Training at NAMTRADETS

		Fe	asibili	ty				Trainir fective				Eff	Cost ective	ness	
	The simulation of most or all of this system is:						Compared to operational equipment, simulators are:								
Semilitração of Bernando 1446 Brotzsilanos 20 ambituda 150 april 150 april	Definitely feasible	Possibly feasible	Uncertain	Possibly infeasible	Definitely infeasible	Much more effective for training	Possibly more effective	Equally effective	Possibly less effective	Much less effective	Much more expensive	More expensive	Equally expensive	Less expensive	Much less expensive
Aircraft System									4		1	2	3	4	2
1. ELECTRICAL & INSTRUMENT	1 2 3 4 5				1		3		*						
2. ANTISUBMARINE WARFARE	1		*		*		† -		r (tyr., t	Tema		53./ft		11	
3. COMMUNICATIONS AND NAVIGATION	1		*			1	•-				ortas	SAVE.		1	†
4. AUTOMATIC FLIGHT CONTROLS	1						+-		-					#	
5. ARMAMENT/WEAPONS DELIVERY	+	-	76				1	_•						11	
6. STRUCTURE, HYDRAULICS, & FLIGHT CONTROLS	*						1		_					*	
7. RECONNAISSANCE	7				-			_		1430	ilk Til		*		
8. ENVIRONMENTAL/EGRESS	1				900 NOTE OF THE PERSON NAMED OF THE PERSON NAM						101.5 P		#		
9. PROPUSLION				*							-				

Table V. Feasibility, Training Effectiveness, and Cost Effectiveness of Simulators for Intermediate-Level Aircraft Maintenance Training at NAMTRADETS

		Fe	asibilit	Y	alike i Landa			rainin ectiver				Eff	Cost		
	The simulation of most or all of this system is:									to operational simulators are:					
	Definitely feasible	Possibly feasible	Uncertain	Possibly infeasible	Definitely infeasible	Much more effective for training	Possibly more effective	Equally effective	Possibly less effective	Much less effective	Much more expensive	More expensive	Equally expensive	Less expensive	1
Aircraft System	1	2	3	4	5	1	2	3	4	5	1	2	3	4	
1. ELECTRICAL & INSTRUMENT	†* *								*	elp Are	el Dan	16A as	7	;	
2. COMMUNICATIONS AND NAVIGATION	1				*		*			*	ara.es	nophs		* †	
3. ANTISUBMARINE WARFARE	1				*							•		1	
4. AUTOMATIC FLIGHT CONTROLS	1	+			*			_		-*		-	_ _ _		
5. RECONNAISSANCE	1			* :	*				1	*		NI TOU		1	
6. ARMAMENT/WEAPONS DELIVERY				- 4 -	*				 -	*-			-	1	
7. ENVIRONMENTAL/EGRESS				۰				-					-	-1	
8. STRUCTURE, HYDRAULICS, & FLIGHT CONTROLS				ـ ه ـ	*					•			•		
9. PROPULSION			_	- •	-*				• '	1			4	=	
		1	,												

V. REFERENCES

- Cooper, T. L. Professionalization and utilization of police—Delphi forecast on police values. <u>Journal of Criminal</u> <u>Justice</u>, 1974, 2, 19-35.
- Dodge, B. J. & Clark, R. E. Research on the Delphi Technique. Educational Technology, April 1977, XVII, 58-59.
- Helmer, O. The use of the Delphi Technique in problems of educational innovation. Report P-3499. Rand Corporation, Santa Monica, California, December 1966.
- Helmer, O. Analysis of the future: the Delphi method. Report P-3558. Rand Corporation, Santa Monica, California, March 1967.
- Linstone, H. A. & Turoff, M. (Eds.). <u>The Delphi method, techniques</u> and applications. Reading, Massachusetts: Addison-Wesley Publishing Co., 1975.
- Quade, E. S. & Boucher, W. I. System analysis and policy planning. New York: American Elsevier Publishing Co., 1968.
- Sackman, H. Delphi assessment: expert opinion, forecasting and group process. Report R-1283-PR. Rand Corporation, Santa Monica, California, April 1974.
- Siegel, S. Nonparametric statistics for the behavioral sciences.

 New York: McGraw Hill, 1956.

APPENDIX A

Participation of experts in the Delphi study

A total of 62 experts were invited to participate in the Delphi study. The numbers of experts returning the question-naires are summarized in Table A-1.

Table A-1

Number of experts returning questionnaires of Delphi study

Questionnaires returned	Numbers of experts
All three questionnaires	46
Only Questionnaires One and Two	9033
Only Questionnaires One and Three	eall of eodsT
Only Questionnaires Two and Three	6
Only Questionnaire One	thispn of the
Only Questionnaire Two	egatasons 2 sits
Only Questionnaire Three	1.661 852 801
None	

Note. -- Each questionnaire was mailed to all 62 experts.

As discussed in the text, the responses of the experts to one questionnaire were summarized in percentages and resubmitted in a subsequent questionnaire. The percentages were computed on the final day specified for the return of a questionnaire. For example, 50 experts returned Questionnaire One, but two chose not to complete the 0- and I-level tables and two others returned the questionnaire too late for inclusion in the computation of the percentages. Thus, the percentages given in the 0- and I-level tables of Questionnaire Two are based on 46 experts. The preceding sentence must be qualified because not all of the 46 experts completed every one of the 54 selections for the 0- and I-level tables.

In all computations, the percentages were based on the number of experts completing an item.

Table A-2

Number of experts used as a basis for computing percentages for questionnaire tables

Table Designation	Number of experts									
questinoskes et Daloit etu	Total group	NAMTRADET group	NON-NAMTRADET group							
O- and I-level tables for Questionnaire Two	46	estlindelius								
Tables for Questionnaire Three	52	ge questions - estim un icos	n), An and and							
Tables in final results	60	26	34							

The same reasoning and rules were applied in the computation of the percentages for all tables, including those representing the final results. In addition, in computing the percentages for the final results (not given in this report), the most recent input from an expert was counted towards the final results. Thus, if an expert return only Questionnaires One and Two, his data of Questionnaire Two were included in the final results.

APPENDIX B

Expert participants in Delphi study of simulators in aviation maintenance training

A. NAMTRADET instructors

ADCS Kenneth I. Bryant NAMTD 1048 NAS Pensacola, FL 32508

AT1 David L. Cooper NAMTD 1048 NAS Pensacola, FL 32508

AE1 Donald R. Cornelius NAMTD 1069 NAS North Island San Diego, CA 92135

> GYSGT Don H. Foster NAMTD 1078 MCAS El Toro Santa Ana, CA 92709

AFCM James W. Frush NAMTD 1002 NAS Key West, FL 33040

AMSC Thomas R. Griffith NAMTD 1011 NAS Jacksonville, FL 32212

ATC Garry K. Hanson Box 10 NAMTD 1018 NAS Meridian, MS 39301

AMH1 J. Howington NAMTD 1069 NAS North Island San Diego, CA 92135

AEC James J. Jozwiak NAMTD 1018 NAS Meridian, MS 39301 AT1 Robert L. LaPorte NAMTD 1026 NAS Norfolk, VA 23511

> ATCS Peter McConnell NAMTD 1008 NAS Miramar, CA 92145

AEC Gary McCullough NAMTD 1011 NAS Jacksonville, FL 32212

GYSGT James R. McNulty NAMTD 1006 MCAS Cherry Pt., NC 28533

AT2 Stuart F. Morgan NAMTD 1014 NAS Oceana Bldg. 240 Virginia Beach, VA 23460

ATC James E. Morrison Box 10 NAMTD 1018 NAS Meridian, MS 39301

AQ1 James A. Nuessle NAMTD 1001 NAS Whidbey Island Oak Harbor, WA 98277

AECS Curtis G. Olson C. O. AIRANTISUBRON 33 % FPO San Francisco, CA 96601

MSGT K. D. Osborn NAMTD 1078 MCAS El Toro Santa Ana, CA 92709 AQC J. M. Owens
NAMTD 1008
NAS Miramar, CA 92145

AMCS L. Purviance NAMTD 1034 NAS Cecil Field, FL 32215

AMHC Salvatore Rao NAMTD 1018 NAS Meridian, MS 39301

AVCM Jerry D. Rohrer NAMTD 1002 NAS Key West, FL 33040

B. NON-NAMTRADET experts

Mr. D. B. Adams
NAVAIRSYSCOM AIR 4131
Washington, DC 20360

Robert J. Biersner, Ph.D.
LCDR MSC USN
Naval Submarine Medical
Research Lab.
Naval Submarine Base
New London
Box 900
Groton, CT 06340

Dr. Harold Booher
Code 308
Naval Personnel Research
& Development Center
San Diego, CA 92152

LCDR Ray S. Bouder
General Programs Officer
NAMTRAGRU 34
NAS Memphis
Millington, TN 38054

AVCM Ronald E. Rumpf NAMTD 1026 Norfolk, VA 23505

> ATCS James W. Scrivner VAW-124 Avionics FPO New York, NY 09501

ATC Walter J. Todd NAMTD 1034 NAS Cecil Field, FL 32215

AQC John F. Williams, Jr. NAMTD 1001 NAS Whidbey Island Oak Harbor, WA 98277

Dr. Richard Braby
Training Analysis & Evaluation Group
Orlando, FL 32813

Dr. William H. Crooks Perceptronics, Inc. 6271 Variel Ave. Woodland Hills, CA 91364

Dr. John P. Foley, Jr. AFHRL
Brooks AFB, TX 78235

Mr. Raymond B. Fox IBM Federal Systems Division Bldg. 400/043 9500 Godwin Drive Manassas, VA 22110 Dr. F. C. Frick MIT Lincoln Laboratory Lexington, MA 02173

Mr. K. C. Hageman Hageman Consulting Services P.O. Box 11409 Ft. Worth, TX 76109

Dr. Donald F. Haggard U. S. Army Research Institute Field Unit Bldg. 2423 Fort Knox, KY 40121

Mr. Alfred J. Homann OMNIDATA, Inc. 7300 Route 130 Pennsauken, NJ 08110

Dr. Richard Hurlock
Code 304, Development of
Training Technology
Naval Personnel Research
& Development Center
San Diego, CA 92152

Mr. Reid P. Joyce, Principal Scientist Applied Science Associates, Inc. Box 158 Valencia, PA 16059

Dr. William King Code N-215 Naval Training Equipment Center Orlando, FL 32813

Mr. Manuel Lopez NAVAIRSYSCOM AIR 4132 Washington, DC 20360 Dr. George Lukas, Senior Mathematician Bolt, Beranek and Newman, Inc. 50 Moulton St. Cambridge, MA 02138

Mr. Arthur Mann
San Diego Aeronautical Audit Complex
NAS North Island Bldg. 252
San Diego, CA 92135

Mr. Arthur Marcus, Senior Research Scientist U. S. Army Research Institute 1300 Wilson Boulevard Rosslyn, VA 22209

Dr. Lee A. Miller Honeywell, Inc. 2600 Ridgway Parkway Minneapolis, MN 55413

Dr. John A. Modrick, Staff Scientist Honeywell, Inc. 2600 Ridgway Parkway Minneapolis, MN 55413

CDR R. L. Mudgett Code 315 NAMTRAPAC NAS North Island San Diego, CA 92135

Mr. William G. Muller Naval Air Technical Services Facility (123) 700 Robbins Ave. Philadelphia, PA 19111

Dr. Marshall Narva U. S. Army Research Institute 1300 Wilson Blvd. Arlington, VA 22209 Dr. Leon H. Nawrocki
U. S. Army Research Institute
1300 Wilson Blvd.
Arlington, VA 22209

AVCM J. R. Nelson NAMTRAGRU NAS Memphis Millington, TN 38054

> Mr. Robert D. Plunkett Directorate of Training Development USA Signal School Fort Gordon, GA 30905

Mr. Jack Richardson, C.P.L. Supervisory General Engineer Naval Air Systems Command AIR 4134 Washington, DC 20361

Dr. J. W. Rigney
Behavioral Technology Lab.
Univ. of Southern Calif.
University Park
Los Angeles, CA 90007

Dr. Marty R. Rockway
Technical Director
Technical Training Division
(AFHRL/TT)
USAF Human Resource Laboratory
Lowry AFB, CO 80230

Dr. Edgar L. Shriver, President Kinton, Inc. 100 Prince St. Alexandria, VA 22314

Mr. Nicholas A. Siecko, Vice President, Education Research and Development Educational Computer Corporation 175 Strafford Avenue Strafford, PA 19087

Dr. Leonard C. Silvern, Education Consultant Aeronutronic Ford Corp., The Ford Motor Company Box 49899 Los Angeles, CA 90049

Dr. Robert G. Smith, Jr. Assistant for Personnel Logistics Plans OPNAV OP-987 Pl0 Washington, DC 20350

APPENDIX C

Questionnaire One and the material provided with Questionnaire One

The description of the Delphi Technique, which was included with Questionnaire One, is omitted. It is reproduced in the section on the Data Collection Process.

Dea	r	

Thank you again for agreeing to serve as an expert in our study on aviation maintenance training simulators.

The enclosed material provides background information relevant to the study:

- 1. The Delphi Technique, the method to be used in this study, is described.
 - 2. Definitions and descriptions are given for:
 - a. The Navy training situation.
 - b. Operational equipment and simulators.
 - c. Maintenance programs in the Navy.

Following this background information is Questionnaire One, which you are asked to complete and return. A postage-free, addressed envelope is enclosed.

Although the study is specific to maintenance training in the Navy, it is likely that the results will be generalizable, at least to some extent, to other training situations. Thus, even if you are not associated with the Navy, you and your organization should profit from the study. A copy of the final report of the study will be sent to you.

I am enclosing my card. Contact me if necessary. If I am not available, ask for Joann Wright who is also working on this project.

One last request. The time schedule on this project is very tight. The Delphi Technique ordinarily takes a lot of time because the experts delay returning the questionnaires. Please return the enclosed questionnaire promptly, within a couple of days if at all possible. (Since you are going to spend time on it eventually, why not do it now?) If it's impossible to get to it immediately, please be sure to return it within ten days.

Sincerly,

ROBERT M. HERRICK

The opinions expressed or implied in the enclosed material are mine, not the Navy's. No remuneration will be provided to the participants of this study.

BACKGROUND MATERIAL

Training Situation

The training under consideration occurs at a Naval Aviation Maintenance Training Detachment (NAMTRADET), which is a technical school that supports the squadron at a Naval Air Station. Typically, a NAMTRADET includes several classrooms, each with chalkboards, slide projectors, and other common classroom aids. The student is provided with a variety of books, pamphlets, maintenance instruction manuals (MIMs), and other material to support his training. In recent years, the courses have included lists of instructional objectives (also called behavioral objectives, or specific behavioral objectives) so the student has a rather precise description of what he has to learn and what tasks he must learn to perform. Aircraft components are also on display or available for "hands-on" instruction in the classroom. An aircraft wing (costing perhaps a million dollars), or a radar system, or an ejection seat mounted in a section of an aircraft, or part of a computer system might be found in a typical classroom. Oscilloscopes. pressure gauges, and other test equipments are also available.

In Fiscal Year 1974, 1300 instructors at 49 NAMTRADETS presented 818 different courses in aircraft maintenance. Each of the 818 courses was taught several times for a total of 9,077 course presentations. There were 55,750 graduates of these courses in FY74.

Compared with conventional classroom training, the number of students attending a course is very low, usually 5 or 6.

The duration of a course at a NAMTRADET depends, naturally, upon the complexity and depth of training. Maintenance courses for the A-7 aircraft, for example, range from 8 hours to 480 hours. In FY74 the average course length was 111 hours.

The students attending the courses have varied backgrounds. Most are high school graduates. However, one student may be fresh from a technical school with approximately 9-17 weeks of technical training whereas another student may have had several years of Navy maintenance experience behind him.

Operational Equipment and Maintenance Training Simulators

The term operational equipment refers to real aircraft equipment or real test or other ground-support equipment. When operational equipment is used for training, the equipment may be in its normal condition or it may be modified somewhat; e.g., the cover of the equipment may be removed, the equipment may be partially disassembled, equipment that is normally adjacent to the equipment under study may be removed.

A maintenance training simulator is a training device that represents the components and the functioning of operational equipment. Although physical fidelity may not be a necessary requirement, simulators typically represent faithfully some or all of the components of the operational equipment. The student interacts with the simulator to acquire the knowledge and skills required for his maintenance tasks. Maintenance training simulators vary greatly in their complexity, training capabilities, and costs.

In the past few years, several NAMTRADETS have incorporated maintenance training simulators into their courses. The simulator most in use at NAMTRADETS is the EC II simulator of the Education Computer Corporation, which currently costs about \$70,000. The EC II simulator comes in two sizes, a desk-type version for individual instruction and a large panel (about four foot high by ten foot wide) version for instructing several students simultaneously. Included in the EC II system are power supplies, a random access projector system, and a computer that can be programmed by a cassette tape. Each simulation model incorporates a display panel, a pictorial/schematic model of operational equipment, and means for "hands-on" interaction between the student (or the instructor) and the simulator.

Maintenance Levels

The Navy maintenance program distinguishes three levels of maintenance: organizational level (0 level), intermediate level (I level), and depot level.

O-level maintenance is maintenance performed at an aircraft squadron on a day-to-day basis in support of its own operations. O-level maintenance includes equipment inspections, equipment servicing, equipment handling, corrective and preventive maintenance for equipment on board the aircraft. At the O-level, defective components are typically identified, removed, and replaced. The expression "remove and replace" is often used to characterize O-level maintenance, but, as indicated, above, O-level maintenance includes other functions.

I-level maintenance is performed by shops in support of the aircraft squadron. Typically, most I-level maintenance is performed on components that have been romoved from the aircraft. I-level maintenance includes repair, test, modification, calibration, and qualification testing of components.

Depot-level maintenance is maintenance for systems requiring major overhaul or a complete rebuild of parts, assemblies, subassemblies, or end items that is beyond the capability of I-level maintenance.

Each maintenance task is designated as 0 level, I level, or depot level, so each worker knows the limits of his task and knows when to pass on the maintenance task to the next higher maintenance level.

Here is an example of 0-level and I-level maintenance tasks. The engine life recorder (EIR) of the AV-8A Harrier aircraft propulsion system measures the used life of the aircraft engine. Sensors in the engine measure the heat and time and convert that information to a count that is displayed on a digital counter.

At preflight and postflight inspections, the O-level technician tests the EIR for accuracy by measuring the count rate when a built-in test switch is in each of two test positions. If the EIR fails the tests, the technician replaces it and sends the defective EIR to the I-level maintenance shop. The O-level technician also logs the EIR count at preflight and postflight and performs scheduled checks.

The I-level technician troubleshoots the malfunctioning ELR, replaces the defective subassembly, and verifies his repair by performing a functional test. If the ELR cannot be repaired by the maintenance procedures approved for I-level maintenance, the technician ships the defective ELR to the depot maintenance shop. The I-level technician is also responsible for testing each new ELR that enters the supply system for his squadron.

QUESTIONNAIRE ONE

The aim of this study is to obtain expert opinion on the use of simulators versus the use of operational equipment in aviation maintenance training.

This study:

- a) is limited to maintenance training at NAMTRADETS,
- b) includes both O-level and I-level (but not depot level) maintenance training, and
- c) is limited to simulator systems that cost no more than \$200,000.

This first questionmaire consists of five questions. Questions I through IV are discussion questions. In answering these questions, present any ideas, opinions, facts, anecdotes, guesses, or hunches that you believe are relevant. If you can support a statement with facts or logic, do so; if not, include the statement anyhow. Consider yourself to be talking "off the record"; no statement you make will be attributed to you by name. In short, in answering Questions I through IV, err in the direction of giving too much rather than too little information. We can always ignore what we consider superfluous, but your opinion will not be heard if you fail to state it.

We are interested in your personal opinions, not the opinions of your supervisor or your colleagues or anyone else. So you will not influence or be influenced by others, please do not discuss this or subsequent questionnaires with anyone.

In responding to Questions I through IV indicate if (and where) you feel distinctions between 0 and I levels maintenance training are required.

To lessen your task on this first questionnaire, don't concern yourself with writing well. All that is necessary is that we are able to discern your meaning.

You may write or type your answers to Questions I through IV. However, if you prefer to dictate your answers, please do so. Send us a cassette tape of your remarks. If you want the tape (or a blank tape) returned, please indicate this on the tape. Also, give us your name at the beginning of the tape.

Question V is a specific question with instructions for answering.

In responding to questions I through V, feel free to add additional sheets if necessary and make any comments about the questions (general or specific). You are also encouraged to comment on any questions you feel we should have asked but have not.

There are many terms used in discussion of maintenance training and simulators. The following is a list of a few of the terms that are used. You may wish to consider some of these items when responding to the questions.

Roles of NAMIRADET training experts (instructors), aircraft manufacturer, simulator manufacturer and others.

Attitudes Recurring costs Fidelity Versatility "Hands-On" Reliability Maintenance of training equipment Updating Life span of curriculum Procurement Accessibility Fault insertion Safety Power Requirements Educational strategies Individualized training Transfer of training

Theory of instruction Programming Task/Skill analysis Training Objectives (Specific Behavioral Objectives) Class size Instructor training Administration of training Evaluation On the job training Squadron/shop performance Future state of the art Standardization Uniformity of training **Feedback** Measures of student behavior

To lessen went this on this first questionnaire, don't concern

3743.00			
NAME			

I. General Comparisons.

If you were serving as an advisor to Naval administrators and were asked to list the advantages and disadvantages of simulators and the advantages and disadvantages of operational equipment for aviation maintenance training, how would you respond?

NAME		; 4			
IGTE			1		diam'r.

II. Factors in Decision Making.

This question deals with how the decision should be made to use operational equipment or simulators for maintenance training. What information should the decision-maker have available to him? What sources of information are likely to be most valuable? What factors are most critical in the decision process? Which are least critical?

NAME	

III. Specification for Simulator System.

An administrator decides a simulator rather than operational equipment should be used for maintenance training in a particular NAMTRADET course. What items should be included in the contract for the simulator system? What personnel should contribute to the specification for the simulator system?

NAME	1	;;	;1:	1:1	1:	.;	1.1	

IV. Introduction of Simulators.


When simulators are introduced (or in use) at NAMTRADETS there are sometime obstacles which hinder their acceptance and use. What are some problems which might hinder acceptance and/or use? What actions can be taken at your level to reduce these problems? What actions can be taken by higher authority?

V. The following question asks you to rate the feasibility, the training effectiveness, and the cost of simulation for training for each of ten aircraft systems. Each of the ten systems, which are briefly described on the following page, includes a variety of equipment. You may have different judgements for different equipments within one system. If so, your rating should apply to most of the equipment within a system.

Two answer sheets are provided. One, as marked, applies to your ratings for organizational-level maintenance training; the other applies to intermediate-level maintenance training.

The first column of each answer sheet is labelled "totally ignorant of this system". Check this column only if you have no knowledge at all of the system. You do not have to be an expert in the particular system to provide ratings. Your general knowledge of a system is sufficient for you to participate.

Here is an example of ratings for a system:



These ratings indicate that simulation is definitely feasible (for most or all of the system), that simulation is as effective as operational equipment for training, and that simulation is much less expensive than operational equipment.

BRIEF DESCRIPTIONS OF AIRCRAFT MAINTENANCE SYSTEMS

Structure, Hydraulics and Flight Controls Systems - includes for example: airframe structure components, corrosion control, hydraulic power supply and distribution systems, alighting and launching gear, wing and fin fold systems, primary and secondary flight control systems, empennage.

<u>Propulsion Systems</u> - includes for example: engine maintenance, quick engine change, assembly and buildup, removal/installation, aircraft fuel storage and transfer, fuel system operation and maintenance.

Electrical and Instrument Systems - includes for example: drive generator, electrical power supply and distribution, instrument indicating systems, lighting, and electrical circuits for following systems: engine and related system, hydraulic, environmental, life support, armament.

Environmental Control and Egress Systems - includes for example: cabin air conditioning, cabin air pressurization, crew egress component/subsystems, oxygen system.

Armament/Weapons Delivery System - includes for example: gums, mounts, weapon direction equipment, launcher, pods, bomb racks and other mechanical or electro-mechanical equipment for weapons delivery function.

Communications and Navigation Systems - includes for example: intercom, radio system(s), data link, radar, radio, direction finding set, doppler compass.

Automatic Flight Controls - includes for example: automatic pilot, flight displays, mechanical and electrical parts for signal transmission and application of power, reference sensors, air data computer.

Reconnaissance Equipment - equipment necessary to reconnaissance mission. Includes for example: photographic and electronics, infared and other sensors, search receivers, recorders, warning devices, magazines and data link.

Anti-Submarine Warfare - equipment peculiar to the antisubmarine warfare. mission. Includes for example: acoustic and nonacoustic sensor systems, computer, displays.

ORGANIZATIONAL LEVEL

(Refer to earlier descriptions for distinctions between O-level and I-level maintenance)

		of	The simulation of most or all of this system is:					Con	mer.	red t s	to	o	per	ati	on Te:	11 (Pda	ip-
THEATON	Totally ignorant of this system	I. Definitely feasible	2. Possibly feasible	3. Uncertain	4. Possibly infeasible	5. Definitely infessible	E ex	1. Much more effective for training	2. Possibly more effective	3. Equally effective	4. Possibly less effective	5. Much less effective		I. Much more expensive	2. More expensive	3. Equally expensive	4. Less expensive	5. Much less expensive
Structure, Hydraulics, & Flight Controls	П																	
Propulsion	П																	
Risctrical & Instrument	Ħ	F			T												Γ	
Environmental/Egress	П																	
Armament/Weapons Delivery																		
Communications and Navigation																		
Automatic Flight Controls	П				1													
Reconnaissance	П								-			************						
Antisubmerine Warfare																		

INTERMEDIATE LEVEL

(Refer to earlier descriptions for distinctions between O-level and I-level maintenance)

		10	The simulation of most or all of this system is:			Co	mpa	ire	i t	o op	era	at:	loc	al e:	equ	ip-	
	Totally ignorant of this system	1. Definitely feasible	2. Possibly feasible	3. Uncertain	47. Possibly infeasible	5. Definitely infeasible	1. Much more effective for training	2. Possibly more effective	3. Equally effective	4. Possibly less effective	5. Nuch less effective	design of the second	Much	2. More expensive	5. Equally expensive	4. Less expensive	5. Much less expensive
Structure, Hydraulics, & Flight Controls		Г				• ()						Ī					
Propulsion																	
Electrical & Instrument		F					Γ					Ī					
Environmental/Egress		T										I					
Armament/Weapons Delivery		T															
Communications and Navigation												-					
Automatic Flight Controls		T										1					
Recommaissance		T							3.5			1					
Antisubmarine Warfare						-23											

APPENDIX D

Questionnaire Two and the material provided with Questionnaire Two

complexing the newlet of frontienmeins the end expert decided that the system "Structures and purpolate, a fixent Controls" was too broad so he spire it into two systems and their component Simon his responses could not be integrated with the response of the other

The sections on the Delphi Technique (given in the text of this report) and on the background material (given in Appendix B) are omitted from this appendix.

Dear	

Thank you for completing Questionnaire One in our Delphi Study of simulators and operational equipment in aviation maintenance training.

We encountered a few minor problems with Questionnaire One because some of the experts failed to follow directions. For example, when completing the table of Questionnaire One, one expert decided that the system "Structures, Hydraulics, & Flight Controls" was too broad so he split it into two systems and then responded. Since his responses could not be integrated with the responses of the other experts, his responses to this item had to be discarded. Another problem was that a few of the experts failed to complete all items.

In completing Questionnaire Two, which is enclosed, please follow directions carefully. If you have any comments about any of the items of Questionnaire Two, first respond to the item, then give your comment, either in the margin or on the back of the sheet.

Please complete Questionnaire Two promptly, within a couple of days if possible. Your cooperation and <u>quick response</u> will be greatly appreciated.

Sincerely,

ROBERT M. HERRICK

The blue sheets describing the background material and the Delphi Technique, which were included with Questionnaire One, are included again.

Introduction to Questionnaire Two

The aim of this study is to obtain expert opinion on the use of simulators versus operational equipment in aviation maintenance training.

This study:

- a) is limited to maintenance training at NAMTRADETS,
- b) includes both O-level and I-level (but not depot level) maintenance training, and
- c) is limited to simulation systems that cost no more than \$200.000.

Questionnaire Two consists of three sections. In writing Section I we imagined a naval administrator confronted with a choice between simulators and operational equipment for a NAMTRADET course. We ask, in this section, what information is needed to aid the administrator, and how difficult is it to obtain such information. Also, in Section I, we ask about possible sources of information, both personnel and relevant documents.

In Section II we assume that the administrator has decided to use a simulator rather than operational equipment. And we ask: What issues should the administrator consider to implement his decision? And, how frequently have these issues been considered in the past?

In Sections I and II no distinctions are made between 0-level and I-level maintenance training. In giving your opinions in these two sections consider each item to apply to both 0-level and I-level training.

Section III presents the results of Question V of Questionnaire One and gives you the opportunity to retain or revise your opinions.

Comments shout from any be written in the narrying or on the back

Specific Instructions for Completing Table I

Table I concerns gathering and evaluating information to help decide between simulators and operational equipment.

An illustration will indicate the procedure you are to follow in completing Table I. Reproduced below are two items of Table I.

		i	Nee oform	ed fo			Eff obt	fort tain	requ	uirec ormai	i to
Item of Information		-	2.	3.	4.	5.	-	2.	3.	4.	5.
23. The funds available for the project	115%	X		nols	757		ev	X	fu.		
24. The cost to buy each device	S	X				ryb:	121			χ	
and the state of t	0	X						X			

[The column headings (e.g., 1. CRUCIAL--the information <u>must</u> be obtained) have been omitted here. Refer to the first page of Table I for the complete headings.]

In the above illustration the expert decided that item 23. "The funds available for the project" is information that must be obtained. He therefore placed an X in the box 1. CRUCIAL—the information <u>must</u> be obtained. For item 23., he also decided that it would require slight effort to obtain such information. Therefore, he marked X under 2., requires SLIGHT EFFORT to obtain information.

In each row of Table I you are to follow the same procedure, namely, mark an X for one of the five alternatives under the category "Need for information," and mark an X for one of the five alternatives under the category "Effort required to obtain information."

In many of the items we use the word <u>device</u> in a special way. By device we mean either a simulator or operational equipment. Thus, in item 24. above, "The cost to buy each device" means the cost to buy a simulator or the cost to buy operational equipment. Instead of listing two items separately, one for simulators and one for operational equipment, we list only one item. However, we split the section for your responses into two rows, one marked "S" for simulators and one marked "O" for operational equipment. Fill in each row as described above. In the example given above, in the category "Need for information," the expert marked 1. CRUCIAL for both simulators (the row marked "S") and for operational equipment (the row marked "O"). In the other category, "Effort required to obtain information," the expert marked 4. MAJOR EFFORT for simulators and 2. SLIGHT EFFORT for operational equipment.

Comments about items may be written in the margins or on the back of the pages.

In the blank rows at the end of Table I you may add new items.

A	-				

Section I. Gathering Information to Help the Decision Maker Decide between Simulators and Operational Equipment.

Table I. Information Required for Decision Making

										Nee	d fo	ion		Effo	rt r	equi nfor	red mati	to on
				AND THE LAND				245Anc 1 va	ined	ild be obtained	d be obtained	cained	be obtained	mation	mation	Formation	nation	ormation
								ze, weight) jectives es which ne planned	must be obtained	Information should	information probably should	n might be obtained	need not be c	o obtain information	o obtain information	to obtain information	obtain information	to obtain information
								al Xids (e.g.,	CRUCIALthe information	USEFULthe in	information [OPTIONALthe information	TRIVIALthe information need not	LITTLE EFFORT to	SLIGHT EFFORT to	MODERATE EFFORT	MAJOR EFFORT to	EXTREME EFFORT
	It	em o	f Ir	nform	natio	n		te chisqui as	CRUCIALthe	EXTREMELY US	USEFULthe	OPTIONALth	TRIVIALthe	requires LIT	requires SLI	requires MOD	requires MAJ	requires EXT
								91013 1013 T3 URB 1013	╁	2.	8	4	5.	-	2.	3.	4	5.
					1		RATI		(27 6 200	U5 7	l and	1001			3 8 i	J .	£1]	_
1.	A	det ask	aile the	ed de stud	scri	ptio must	n of per	each form				191	2 (1	9 709	770			
2.	Ti	he t	ime rfor	it s m ea	houl ch t	d ta	ke t	he student		991	gb s		in i	D831	ean			
3.	t	ion	avai	, te labl and	e to	the	ment stu	, and documenta- dent during	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	277	9 9 7 6 9	5 T		S Tar	ror s ar	7	0/1	
4.	TI	he c	rite nt's	ria per	used form	to ance	ewal for	uate the each task	00+	L. T.		31	5.00	TEER	7 0			
5.	TI	he t	rain	ing	obje	ctiv	es o	f the course							- T	1		
6.	Ti	he a	moun	t of	sup	ervi	sion	provided on			do	50	ni	597	uper			

	.quipment. .tion Required for Decision Making			ed f		e You	Eff	ort ain	requ info	ired rmati	to ion
	Reed for Effort req		Y USEFUL				FFORT	FFORT	EFFORT	FORT	EFFORT
	Item of information	CRUCIAL	EXTREMELY	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
7.	A description of the physical environment	╁╧	2.	3.	4.	5.	<u>:</u>	2.	3.	4.	5.
	on the job (e.g., heat, noise)										
8.	The physical fidelity (e.g., size, weight) required to meet the course objectives										
9.	The availability of other courses which might meet the objectives of the planned course										
10.	The availability of instructional aids (e.g., lesson plans, movies)							7			
11.	The amount of feedback to the instructor about student performance										
12.	The amount of feedback to the student about his performance										
13.	Analysis of frequent failures and repairs of the weapon system			bite	tha") No	31			
14.	The tools, test equipment, and documentation available to the student to perform each task on the job										
15.	List of malfunctions (faults) that the maintenance man must recognize and correct on the job	9 56 1	10 F 3 S	700 1101	:X31	100 1 (1	188	CD A			
16.	Lists of faults that can and cannot be inserted into the device	913 6	63	100	2	38					
17.	The need to demonstrate multiple faults for a single failure	206	D D V		59.0	210	5 97				
18.	The need to include infrequently encount- ered maintenance tasks		pn	106.	bhi	20	71 1 51				
19.	The requirement for "hands-on" experience	e det	gan	ons	neq	2101	901/				
20.	The amount and type of additional training required on the job	q rfo!	i va	supe	to :	0,00					

				Ne	ed fo					requi		
notat	ntesto opisencial			USEFUL	IIIa C					RT		
WINDERS CARR	Item of Information		1. CRUCIAL	2. EXTREMELY US	3. USEFUL	4. OPTIONAL	5. TRIVIAL	1. LITTLE EFFORT	2. SLIGHT EFFORT	3. MODERATE EFFORT	4. MAJOR EFFORT	5. EXTREME EFFORT
21.	The need for self-paced learning	and since	10 miles			5 54	Dec1	sarreid 15 B	17	37		
22.	The need for alternative routes (i.e., branching) for learning	Male I			e (10 h? 3	USBW 85 / 1	ws0	5 T	69 8b	20		
	ECONOMIC CONSIDERATIONS		Q 501 59W 5						4T.	36,		
23.	The funds available for the project							# 0 s	12			
24.	The cost to buy each device	S	RÎSS Pens	11.5 1 1 1 1		Tiev Span	a em ava	10.04 12. 8		C TE		
25.	The cost for spare parts for each device	S 0	95 SI			to be	5 ; 1	ıvt.	47 55	961		
26.	The cost to transport and install each device	S 0	2000 2000 2000	201	o i ui			eab.				
27.	The cost to modify NAMTRADET facilities to use device	S 0	58k			010		a Outh	47 70			
28.	Power and related costs to operate each device	S 0	013	last	50.3	1931.60		as J				
29.	The cost for the routine maintenance of each device	S 0		23.61 280	2.5 114	(10) (100)		3.6				
30.	The cost to repair each device if it malfunctions	S 0				1 2 2 1 Y 1						
31.	The cost to update each device as changes occur in the weapon system	S 0					D: Y		(3) (2)			
32.	The cost and number of instructors and support personnel with each device	s 0	162 1	109		13 83 2 0 0 0		170	et reb	.44		
	LIFE CYCLE CONSIDERATIONS	enter	i ell Bolva	stoe o do	12 T	ot ki Lader	nene ta	a for	19.R 190	15.		
33.	Political preferences for different devices	S 0				er head		407,3-0				

	Need for Effort information Dotain				eed format						ired rmati	
9* WODERVIE BULDKE	Item of Information		1. CRUCIAL	2. EXTREMELY USEFUL	3. USEFUL	4. OPTIONAL	5. TRIVIAL	1. LITTLE EFFORT	2. SLIGHT EFFORT	3. MODERATE EFFORT	4. MAJOR EFFORT	5. EXTREME EFFORT
34.	The expected life of the weapon system			US		20						7
35.	For a new weapon system, the delivery dates for fleet introduction	50.	A11.55	Fine	i le	n i na	1670	1.0	1)			
36.	The number of maintenance personnel required to support the weapon system	en E Alte		2861 108	TARI	918#		inin	033 86 T			
37.	The time available to train the personnel required to support the weapon system			dev	010	XVI	G2	1265	s.dit			
38.	The length of time required to procure, deliver, and install the device	S 0	hor	\$5 V			101	0200	1871 F			
39.	The availability of information needed to develop a training course						e la	ak o	165			
40.	The anticipated frequency and complexity of modifications of the weapon system		0.		0 96 0 1	y or sial	29 29 1	91 T3 01 T3	90 T	9 10		
41.	The anticipated capabilities of simulators in the next few years	tenas	n i ens	en f	501 V	ans	101	30 B	947	.0		
	REPAIR CONSIDERATIONS							20 H	306			
42.	Estimates of frequency of repair for each device	S 0	ant vice	J 314	250	9 11 P	31	n 31				
43.	Estimates of average time to repair each device	s 0	5 V 5	6 K3	9 97 47	6.0Q 6.79	03 500	0 2 G. 0 2 G. 0 7 G.	en) 605 Eyz			
44.	Requirements for special tools and test equipment to repair each device	0	en de Ra	e) B	nar milo	1000 116.3	his 119	1 361	50°			
45.	Requirements for specially trained people to repair each device	s 0		47, T. T.		ner-		CA P				

uoen	taonii (continos) la los				ed format					requi		
THOUSE ELECT	Item of Information		CRUCIAL			OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT		MAJOR EFFORT	
46.	Requirements for special documentation to repair each device	<u>s</u>	Ė	2.	e a	4	.5	13	2.	3.	4.	5.
47.	Availability of spare parts if device requires repair	<u>s</u>	107	104	de 1	gar	ubs	.02	9/1 I	.00		
48.	Extent of factory support required to repair device	<u>s</u>	3.57		3 T	\$ 100 \$ 3.3	150	ed.	H			
49.	The accessibility of components of device requiring repair	S 0	1133	L 70 2173	0% 1116	2002 2773	(A)3	124	30			
	PHYSICAL CONSIDERATIONS		91									
50.	The dimensions and weight of the device	S 0	03.04	NZ ST	51	19		As		38		
51.	The electrical or other power requirements for each device	S 0	1025	Uniã:				Gran An	5(A)	. 00		
52.	The problems associated with moving and storing each device	S 0		, j		19	ZIP.	anami Mari		190		
53.	The durability of each device under frequent use	S 0	.egs	510	080				5 (L.	 153		
54.	The number of sites where each device will be used	<u>s</u>	3.26	B (* 18	12	30/15		all l		-01		
55.	The number of students who could use each device at the same time	<u>s</u>	a 23	15.01	12						- Commence	
56.	The number of students to be trained with the device in one year	<u>s</u>								14.		
57.	The duration of the course									refis		
58.	The percentage of the class time the device will be used	<u>s</u>								10.5382		

	ntesto not senional				eed orma	for tion		Ef ob	fort tain	req inf	uire orma	d to
	Item of Information		1. CRUCIAL	2. EXTREMELY USEFUL	3. USEFUL	4. OPTIONAL	5. TRIVIAL	1. LITTLE EFFORT	2. SLIGHT EFFORT	3. MODERATE EFFORT	4. MAJOR EFFORT	5. EXTREME EFFORT
59.	The class time that might be saved with each device	S 0		6.	ival	103			02			
60.	The scheduling flexibility of the course (i.e., what will happen if the device is inoperative?)	0		nog.	697 103	291	UE 91		est etyj	- 1	A I	
	CONSIDERATIONS ABOUT INSTRUCTORS AND STUDENTS					di (i						
61-	The extent of instructor's experience working with maintenance of the system			240		10 L24	00	ASI	9163			
62.	The extent of the instructor's experience teaching the course							6 THE T	VED VED			
63.	The attitudes of instructors about each device	0		2	TVN	652	9 11	7 2	men L			
64.	The amount of training of instructors required to use each device	0		eo1	lab Mari	529	en l'	210	bhs an			
65.	The educational background of potential students	4			40.00	1.30	109	7 7	ibra:			
66.	The maintenance experience of potential students						9 E U	96	118			
67.	The attitudes of students about each device	<u>s</u>		5.00 S	e să	35	eoh e ni	est Land	1259 1 98		1.00	
Here			165	30	o ni	0.07	st i	63				
Items		en)	22	[3 091	943 6 99	50 s	62 m	089 Yan	910		127	
Add New	handan dan dan dan kanan manan bandan andara sa					se cinic						

Specific Instructions for Completing Table II

Table II lists possible sources to be consulted when gathering information to help decide between simulators and operational equipment.

An illustration will indicate the procedure you are to follow in completing Table II. Reproduced below are two items of Table II.

		Need	to c	onsu	ılt
Source of Information	F	2.	3.	4.	5.
1. Instructors of the course	x				
2. Instructors teaching similiar courses		Х			
	replaced a	mQ.	13	90	was

[The column headings (e.g., 1. MANDATORY--must be consulted) have been omitted here. Refer to the first page of Table II for the complete headings.]

In the above illustration the expert decided that item 1. "Instructors of the course" must be consulted. He therefore placed an X in the box 1. MANDATORY--must be consulted. In item 2. "Instructors teaching similiar courses," the expert decided that it would probably be very useful to consult such a source. He therefore placed an X in box 2. PROBABLY VERY USEFUL--should be consulted. In each row of Table II, you are to follow the same procedure, namely, mark an X for one of the five alternatives under the category "Need to consult."

[Note: In Table II we are concerned with the need to consult each listed source to help decide between simulators and operational equipment. Such sources should also prove useful after the decision has been made to buy a simulator or operational equipment.]

Comments about the items may be written in the margins or on the back of the pages.

In the blank rows at the end of Table II you may add other sources of information.

NAME			

Table II. Sources of Information for Decision Making

	Table II lists possible sources to be entaglied when dathering	Nee	d to	con	sult	
	The course of Information f the course of	1. MANDATORYmust be consulted	2. PROBABLY VERY USEFULshould be consulted	3. USEFULprobably should be consulted	4. OPTIONALmight be consulted	5. UNNECESSARYneed not be consulted
	PERSONNEL					
	그 그들은 이 사람들이 되었다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 그 부모으로 가득하면 되었다면 보다면 하는데					
1.	Instructors of the course	0 77 1 X0			1	
1.	Instructors of the course Instructors teaching similiar courses	e et I xe Iteli				
	AMERICA SANDERS OF THE PARTY OF THE PARTY OF THE PROPERTY OF THE PARTY	C 07 I xo I rom I I x O I c			i	
2.	Instructors teaching similiar courses	C PT I XO I				
2.	Instructors teaching similiar courses Instructors who are teaching with simulators	o the factor of the control of the c				
2. 3. 4.	Instructors teaching similiar courses Instructors who are teaching with simulators Training analysts	C PT XO F TO				
 3. 4. 5. 	Instructors teaching similiar courses Instructors who are teaching with simulators Training analysts Personnel doing the maintenance job in the fleet	C eT xo in a control of the control				
 3. 4. 6. 	Instructors teaching similiar courses Instructors who are teaching with simulators Training analysts Personnel doing the maintenance job in the fleet Graduates of the course	C PTO T X S T S T S T S T S T S T S T S T S T				

	Table II (continued) (beautines) 11. eldeT			ed to		
	Source of Information	1. MANDATORY	2. PROBABLY VERY USEFUL	3. USEFUL	4. OPTIONAL	5. UNNECESSARY
10.	Navy supply specialists					
11.	Navy procurement specialists					
12.	Navy safety specialists					
13.	Manufacturers of simulators					
14.	Navy school administrators	on est	2			
15.	Navy management	S. Chest et a				
	DOCUMENTS 27474 Langa and Arada Langa no 2570 quy not the Lave to A dott	29				
16.	Maintenance manuals for the weapon system					П
17.	Flight manuals of the weapon system					
18.	Maintenance Plan (i.e., written record of maintenance concept for system and equipment, including maintenance tasks, level of repair analysis, and support and test equipment requirements)					
19.	Personnel and Training Plan (i.e., written record of personnel and training required to operate and support the equipment)					
20.	Technical Data Plan(i.e., written description of all information aids necessary to operate and support the equipment)					
21.	Facilities Requirements Plan (i.e., written record of shipboard, shore, operational, maintenance, and training facilities)					
22.	Transportation and Handling Plan (i.e., written record of packaging, handling, storage, and transportation requirements for equipment)					

- 12- 27 /-----

1 i (pamoo

Ignie II (conclined	Table II	(continued
---------------------	----------	------------

		notramotal to	936	uo2		d to sult	
		aretishpeds %!o	602	USEFUL			
		Surficent specialists	ong.	VERY			2
		sty special is ear	ORY	Viscola B		IAL	UNNECESSARY
		anchalumta to anan	MANDATORY	PROBABLY	USEFUL	OPTIONAL	NECE
	S	ource of Information	. E	2. PI	3. 0	4. 0	5. U
2	3.	Relevant government instructions					
2	4.	Research and evaluation reports on maintenance simulators			,,		
howo		majs of the wespon system	W A				
i + come		descript of presentation of the concest of the conc	609 609	in in			
1	10	t demogrape swar bee incomes bas encyland to	EQB ETT	7 10		The second second	
Add		to become masters . s.il neig oninist but	970 1003)			

Technical Data Plan(i.e., written description of all information aids necessary to operate and support

Transportation and mandling Plan (fig., written record of Deckaring, mandling, atomage, and transportation requirements for equipment)

Specific Instructions for Completing Table III

In this section we assume that the administrator has considered all the relevant information and <u>decided to use simulators</u> rather than operational equipment. Table III concerns the administrator's role in implementing his decision.

Most of the items in Tables I and II, which were applicable to the decision process, are applicable also to the implementation process—the process of procuring, installing, and using a simulator system. Rather than repeat the items of Tables I and II in Table III we have chosen to list items that summarize much of the material of Tables I and II. In addition to the summary items, Table III includes material not considered in Tables I and II. Also, Table III asks you to judge how frequently the issues have been considered in past simulation systems.

An illustration will indicate the procedure you are to follow in completing Table III. Reproduced below is one item of Table III.

		N		to a	addre	ess	Past				
	Issue to be addressed	-	2.	3.	4.	5.	-	2.	3.	4.	5.
1.	Verify that course objectives are met with the simulator system	Х								X	

[The column headings (e.g., 1. CRUCIAL--the issue <u>must</u> be addressed) have been omitted here. Refer to the first page of Table III for the complete headings.]

In the above illustration the expert decided that item 1. "Verify that course objectives are met with the simulator system" is an issue that must be addressed in procuring simulators. He therefore placed an X in the box 1. CRUCIAL—the issue must be addressed. For the same item, he also decided that the issue had been infrequently considered in past simulation systems. Therefore, he placed an X in alternative 4. issue INFREQUENTLY has been addressed in the past.

In each row of Table III you are to follow the same procedure, namely, mark an X for one of the five alternatives under the category "Need to address an issue," and mark an X for one of the five alternatives under the category "Past performance in addressing an issue."

Comments about the items may be written in the margins or on the back of the pages.

In the blank row at the end of Table III you may add new items.

AME				

Section II. The Implementation of a Decision to Use Simulators.

Table III. Issues to be Addressed in Procuring Simulators

	foable to the			notzi eT.n	Need	to n is		ess					ce in
net and a second	ni waffat a lili	serbbs co bee sugaruns	er Tibles I and ust on Tibles I and much of the data . Table Ill fhel fine Ill asks you ta simulation system used lelow is on are met.	CRUCIALthe issue <u>must</u> be addressed	EXTREMELY USEFULthe issue should be addressed	USEFULthe issue probably should be addressed	OPTIONALthe issue might be addressed	TRIVIALthe issue need not be addressed	ssue ALMOST ALWAYS has been addressed in the past	FREQUENTLY has been addressed in the past	OCCASIONALLY has been addressed in the past	ssue INFREQUENTLY has been addressed in the past	ALMOST NEVER has been addressed in the past
				CRUCI	EXTRE	USEFU	0PT10	TRIVI	issue	issue	issue	1ssue	issue
1.	Verify that cou	Greenit en	s are met with		2.	3.	4.	5.	-	2.	3.	4.	5.
	the simulator		need ten butti s	3 5 L			0 0		don't	1937 T 2332			
2.	Evaluate the tr simulator syst performance			191	C 64 CdaT	Y 20	W3U Joh	1384 1589	I s	287			
3.	Verify all cost simulator are					7/6 7/6 7/3	281 283 283	90 o		isko isto			
4.	Establish and m development an simulator			ersa.t	9/13	300	35 Z	Sintern Sint S	io: ho	kost			
5.	Insure provisio	ns for update	s and changes					20114					
6.	Insure that ade spare parts, a for repair of	nd personnel	are available										

Table III (continued)

		No	eed 1	issu		ss				nance in is	
	the standard and standard to the standard to t	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	ALMOST ALWAYS addressed	FREQUENTLY addressed	OCCASIONALLY addressed	INFREQUENTLY addressed	ALMOST NEVER addressed
7	Verify that actual repair frequency	-	2.	3.	4.	5.	141	2.	ů,	4.	5.
′	and "downtime" are within estimates					210	dna.				
8.	Insure the training site is adequately prepared for installation of simulator	1 0 1 0		96 25	Ene Son u be	7 4 5 2 7 5 20 8 6	+91 97 25				
9.	Establish and monitor time schedules for NAMTRADET course	34) 34)					972				
10.	Establish follow up procedures to monitor instructor and student attitudes toward the simulator system	a A ab ath				i l	314				
11.	Insure adequacy of instructor training for use of simulator system		10		ini Suz		180 k	,			
12.	Insure adequate human factors design requirements have been met			1308		381	195				
13.	Evaluate instructor performance	105	ing	e bru	211		8297				
14.	Establish effective channels of communi- cation between instructors and management				110	an :		G e			
15.	Assess all effects resulting from introduction of simulator system	10 S	6 L	p (4) 7,6		6 (A)	3 . 3N				
16.	Prevent overuse of the simulator as a toy to impress visiting dignitaries					W S	amat				
Add new items here											
new	A1=0	_									
Add											

Instructions for Completing Section III

Results. Question V of Questionnaire One asked you to rate the feasibility, the training effectiveness, and the cost of simulation for nine aircraft systems. The opinions of all participants are summarized in two tables given in this section.

In these tables each entry gives the percentage of experts selecting that alternative for a given category, such as feasibility. For example, for the Organizational Level table for Structures, Hydraulics, & Flight Controls, under the category feasibility, 59% of the experts said simulation was Definitely feasible, 20% said simulation was Possibly feasible,..., and 5% said simulation was Definitely infeasible (see table). The percentages add to 101%, rather than 100%, because each percentage was rounded off to the nearest whole number. For the same system and maintenance level (see table), 18% of the experts stated that simulators were Much more effective for training, 46% stated that simulators were Possibly more effective, 10% stated that simulators and operational equipment were Equally effective,....

<u>Delphi</u>. As discussed earlier, the Delphi Technique obtains the independent opinions of experts, summarizes those opinions, and then asks each expert to reconsider his opinion in light of the opinions of all the experts. The aim of the technique is to obtain <u>agreement</u> among the experts, if such agreement actually exists. Agreement is indicated by a high percentage (perhaps 50% or more) of the experts selecting the same alternative, such as the 59% selecting <u>Definitely</u> feasible.

The Delphi Technique is similar to a conference in which each expert presents his independent opinion on the topic and then, after having heard the opinions of other experts, he is given the opportunity to change his opinion.

<u>Illustration of Instructions</u>. In Question V of Questionnaire One, in two tables, you gave your opinions on simulators and operational equipment. Now you are asked to reexamine your opinions in the light of the opinions of the group, and if you desire, change your opinions. An example will illustrate how to change or retain your opinion.

Here is a portion of the table for Organizational Level Maintenance:

	29 [ds	Feasibility					Tra fec			ss	Cost Effectivenes					
the second second	[=	2	3.	4.	5.	919 25	2.	3.	4.	2	-	2.	3.	4.	5.	
Structure, Hydraulics, & Flight Controls	(3)	20	10	7	5	18	46	10	23	3	3	(00)	13	×	26	
Propulsion	37	29	10	12	12	150	30	17	20	17	(3)	×	19	32	35	

[The column headings (e.g., Definitely feasible) have been omitted here. Refer to the complete table for the headings.]

In the above table, the circles in red indicate the judgements of one expert in Questionnaire One. (On the complete tables the opinions you gave are indicated by the red circles.) Thus, for Structures, Hydraulics, & Flight Controls, this expert judges that simulation was 1. Definitely feasible, that operational equipment and simulators were 3. Equally effective for training, and that simulators were 2. More expensive than operational equipment.

In the category Feasibility, the expert examines the percentages representing all the experts and decides to retain his original opinion, 1. Definitely feasible. He therefore makes no mark on the table. He also decides to retain his original opinion on Training Effectiveness, namely, 3. Equally effective. On Cost Effectiveness he decides to change his opinion (Simulators are 2. More expensive) to the opinion that simulators are 4. Less expensive. He indicates this new opinion by placing an X in the box 4. Less expensive.

For the Propulsion system the expert retains his former opinions on Feasibility and Training Effectiveness, but for Cost Effectiveness he changes his opinion from 1. Much more expensive to 2. More expensive and indicates this change by marking an X in the box 2. More expensive.

If he cares to, the expert may provide a comment on the back of the sheet explaining why he did or did not change his opinion. Such comments are particularly helpful if the expert's opinion differs greatly from the opinion of the group.

You are under no obligation to agree with the other experts. If an honest difference of opinion exists among the experts, we want the results of the questionnaire to reflect that difference of opinion.

Summary of Instructions to Complete Two Tables

1. The table entries give the percentage of experts expressing a given opinion (e.g., 59% of the experts said Definitely feasible).

Here is a portion of the table for Organizational Level Maintenances

- 2. The red circles indicate the opinions \underline{you} expressed on Questionnaire One.
- 3. Examine the table entries for each aircraft system and category and decide if you want to retain or change your opinion.

If you want to retain the same opinion you gave on Questionnaire One, make no mark on the table.

If you want to change your opinion, put an X in the appropriate box.

4. If your opinion differs from the general opinion of the group, if you can, please provide a comment on the back of the table to support your opinion or to refute the majority opinion.

In the catecol, Peast of thy, the expent exemines the percentages representing all the expents and decides to retain his original coin(on, Definited) sharpfore, we therefore makes he work on the table is also decides to retain his original apinion on training Effectiveness, namely, a foughty effective of the contract of charge is outnion of mulators are 2. More expensive, to the opinion that simulators are 2. More expensive, to the opinion that simulators are 4. Less expensive and the indicates this new country by alecting the contract of the contract

You are under no delification to agree with the other experts. If an

Brief Descriptions of Aircraft Maintenance Systems

Structure, Hydraulics and Flight Controls Systems—includes for example: airframe structure components, corrosion control, hydraulic power supply and distribution systems, alighting and launching gear, wing and fin foil systems, primary and secondary flight control systems, empennage.

<u>Propulsion Systems</u>—includes for example: engine maintenance, quick engine change, assembly and buildup, removal/installation, aircraft fuel storage and transfer, fuel system operation and maintenance.

Electrical and Instrument Systems—includes for example: drive generator, electrical power supply and distribution, instrument indicating systems, lighting, and electrical circuits for following systems: engine and related system, hydraulic, environmental, life support, armament.

<u>Environmental Control and Egress Systems</u>—includes for example: cabin air conditioning, cabin air pressurization, crew egress component/subsystems, oxygen system.

<u>Armament/Weapons Delivery System--includes</u> for example: guns, mounts, weapon direction equipment, launcher, pods, bomb racks and other mechanical or electro-mechanical equipment for weapons delivery function.

Communications and Navigation Systems--includes for example: intercom, radio system(s), data link, radar, radio, direction finding set, doppler compass.

Automatic Flight Controls—includes for example: automatic pilot, flight displays, mechanical and electrical parts for signal transmission and application of power, reference sensors, air data computer.

Reconnaissance Equipment—equipment necessary to reconnaissance mission. Includes for example: photographic and electronics, infrared and other sensors, search receivers, recorders, warning devices, magazines and data link.

Anti-Submarine Warfare—equipment preculiar to the anti-submarine warfare mission. Includes for example: acoustic and nonacoustic sensor systems, computer, displays.

ORGANIZATIONAL LEVEL

The simulation

(Refer to earlier descriptions for distinctions between O-level and I-level maintenance)

			mo	st	or sy:	all stem
meintepance, quiek silation, aircraft end maintenance. ent indicating systems, yatems engine and re- ort, armament. s for examples dabin egrass component/sub- egrass component/sub- active and other acons delivery function.	ly ignorant of this system	1. Definitely feasible		3. Vacortain	4. Possibly infeasible	5. Definitely infessible
Structure, Hydraulics, & Flight Controls	- Long Contract	59	20	10	7	5
Propulsion		37	29	10	12	12
Electrical & Instrument		79	16	. 2	2	0
Environmental/Egress		46	36	10	5	3
Armament/Weapons Delivery		57	25	10	3	5
Communications and Navigation		71	15	5	7	2
Automatic Flight Controls		57	29	12	2	0
Reconnaissance	П	43	38	5	11	3
Antisubmarine Warfare		56	18	8	5	3

1. Much more affective for training	2. Possibly more effective	3. Equally effective	4. Possibly less effective	5. Much less effective	I. Much more expensive	2. More expensive	3. Equally expensive	4. Less expensive	5. Much less expensive
18	46	10	23	3	3	2.00	13	50	2
15	30	17	20	ע	3	11	19	32	:
47	28	9	14	2	0	2	15	51	-
14	38	16	24	8	0	9	17	2	-
33	27	20	13	7	0	8	5	55	3
46	24	7	12	10	0	5	15	37	4
43	29	14	12	2	0	0	10	61	3
27	30	14	24	5	0	8	14	49	3

INTERMEDIATE LEVEL

(Refer to earlier descriptions for distinctions between O-level and I-level maintenance)

	1	0	f m	ost his	or	tion all stem		Co	mpa	recent	l t	0 (pei	rat:	ion	al e:	equ	ip-
These of Olestronnaire	Totally ignorant of this system	1. Definitely feasible	2. Possibly feasible	3. Uncertain	4. Possibly infeasible	5. Definitely infeasible	Chet (hav () () () () () () ()	1. Much more effective for training	2. Possibly more effective	3. Equally offective	Possibly 1	5. Much less effective		1. Much more expensive	2. More expensive	3. Equally expensive	Less	5. Much less expensive
Structure, Hydraulics, & Flight Controls		27	10	23	20	20		13	26	3	26	3:		6	11	28	36	19
Propulsion		23	15	23	17	23		10	28	3	26	3:		3	16	22	35	24
Electrical & Instrument		56	10	13	13	8		35	20	7	23	1.	5	0	13	15	46	26
Environmental/Egress		27	14	22	14	24		19	22	6	28	2	5	3	9	18	44	26
Armament/Weapons Delivery		36	17	11	22	14		25	19	6	25	2	5	0	14	20	40	26
Communications and Navigation		45	15	10	20	10		36	15	5	21	2	3	0	15	18	41	26
Automatic Flight . Controls		36	18	18	18	10		29	16	8	26	21		3	16	16	42	24
Recomaissance		35	19	16	19	11		28	22	3	25	22		0	16	19	41	24
Antisubmarine Warfare		46	11	14	19	11		31	14	14	g	22		0	19	11	41	30

LEVEL STAIGEMENTH

Before mailing,

Please check to see that you have written your name on the first page of each table and that you have included all the tables of Questionnaire Two.

Table I (6 pages)

Table II (3 pages)

Table III (2 pages)

Table for Organizational Level (1 page)

Table for Intermediate Level (1 page)

APPENDIX E

Questionnaire Three and the material provided with Questionnaire Three

name you for cappacing presidents Twords our study of single atom and operational equipment in aviation emintenance training.

Meast contain the lines is analysed. It is, you sill as happy to had a last questionaling of the study. The timefrequired to complet pastinggaire three should be much less than that required to descript of the own provious questionships.

A would be granaful for any consents about Obestionsaire Three of salier questionsites, or about this manual for obtaining expet prodom. Write your consents on a separate sheet of paper. This prodom, write your consents on a separate sheet of paper. This is not a series to vote your thousants four the scaling of the instruction of this study as soon as it is completed.

It is in all cast ask you to return the questionsairs ringsly.

It is now the time the constitut of seasons will save be and you include the time spent on a reminder phone call and will now the lime spent on a reminder phone call and will now the lime the time spent show in this study as soons.

Dear	

Thank you for completing Questionnaire Two in our study of simulators and operational equipment in aviation maintenance training.

Questionnaire Three is enclosed. It is, you will be happy to hear, the last questionnaire of the study. The time required to complete Questionnaire Three should be much less than that required for either of the two previous questionnaires.

We would be grateful for any comments about Questionnaire Three or earlier questionnaires, or about this method for obtaining expert opinion. Write your comments on a separate sheet of paper. This is your last chance to voice your thoughts about the problem of simulators versus operational equipment. You will be sent a copy of the final report of this study as soon as it is completed.

Once again I must ask you to return the questionnaire promptly, within a few days if possible. A quick response will save me (and you) the time spent on a reminder phone call and will mean you will have the final report sooner.

Once again, thanks for your cooperation in this study.

Sincerely,

ROBERT M. HERRICK

negation as the Company of the Compa

In Questionnaire Three, you are to reexamine the opinions you expressed in Questionnaire Two and also give your opinion on a few new items. In completing this questionnaire remember that this study:

- a) is limited to maintenance training at NAMTRADETS,
- b) includes both 0-level and I-level (but not depot level) maintenance training, and
- c) is limited to simulation systems that cost no more than \$200,000.

Results. Tables I, II, and III show, for each item and category of Questionnaire Two, the percentage of experts that selected each alternative. For example, consider in Table I, item 1. "A detailed description of each task the student must perform." In Questionnaire Two for this item (see Table I), under the category Need for Information, 73% of the experts selected the alternative CRUCIAL, 13% selected the alternative EXTREMELY USEFUL, ..., and 0% selected the alternative TRIVIAL.

For each item, for each category, the alternative that <u>you</u> selected in Questionnaire Two is indicated by a red circle.

<u>Instructions</u>. These instructions for completing Questionnaire Three are similar to those you followed for the O-level and I-level tables of Questionnaire Two.

For each item of Tables I, II, and III examine the percentage data and decide if you want to change or retain your opinion.

If you want to retain the opinion you gave on Questionnaire Two, make no mark for that item.

If you want to change your opinion, put an X in the box for the new alternative you have chosen.

If your opinion differs from the general opinion of the group, if you can, please provide a comment on the back of the table to support your opinion or to refute the majority opinion.

When examining Table I, recall that a row labelled "S" means that the device referred to in the item is a simulator, and a row labelled "O" means that the device referred to in the item is operational equipment.

When <u>new items</u> have been added, they appear at the end of a table. To indicate your opinion for each new item, mark an X under one of the five alternatives for each category.

student's parformance for such task

			_
N	Λ	м	_
	м	w	Е.

Section I. Gathering Information to Help the Decision Maker Decide between Simulators and Operational Equipment.

Table I. Information Required for Decision Making

enember that this study:	97	Nec	ed fo	r	1711	Effo	ort i	requi	red	to
and 1-level (but not depot level) and 1-level (but not depot level) on systems that cost no more than show for each item and gatedary of gate of experse that selected each alternative if then i. "A detailed description of onm." In Questionneire De. for this item dy leed for information. 72% of the experts dy leed for information. 72% of the experts e alternative TRIVIAL e alternative TRIVIAL st by a red circle or the O-level and 1-level tables of or the O-level and 1-level tables of and ill exemine the percentage data or the O-level and 1-level tables of and retain your opinion noither, but and is in the pastionneive The noither, but and is in the pastionneive The and noither, but and is in the pastionneive The noither than nameral and and in the pastion that the	1. CRUCIALthe information must be obtained	2. EXTREMELY USEFUL the information should be obtained	3. USEFULthe information probably should be obtained	4. OPTIONAL the information might be obtained	5. TRIVIALthe information need not be obtained	1. requires LITTLE EFFORT to obtain information	2. requires SLIGHT EFFORT to obtain information	3. requires MODERATE EFFORT to obtain information	4. requires MAJOR EFFORT to obtain information	5. requires EXTREME EFFORT to obtain information
1. A detailed description of each task the student must perform	73	13	8	6		10	8	25	42	15
2. The time it should take the student to perform each task	10	38	37	8	8	4	18	43	29	6
3. The tools, test equipment, and documenta- tion available to the student during training and testing	62	38	2	0	0	19	35	35	6	6
4. The criteria used to evaluate the	56	19	21	4	0	10	25	35	23	8
student's performance for each task	Po		The second second		The second second	-	-	-		
	83	8	8	0	2	18	25	33	24	0

Table I (continued)

n Furne	Table I (continued)			Ne info	ed f rmat					requ info		
DESCRIPTE EARTHREE	Item of information		CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
-			-	2.	3.	4.	5.	-	2.	3.	4.	5.
1.	A description of the physical environment on the job (e.g., heat, noise)	on lary	8	25	44	17	6	31	37	25	8	0
8.	The physical fidelity (e.g., size, weight) required to meet the course objectives		38	21	35	2	4	13	37	25	10	1.5
9.	The availability of other courses which might meet the objectives of the planned course		35	33	2 5	6	2	21	27	44	4	4
10.	The availability of instructional aids (e. lesson plans, movies)	g.,	25	37	29	4	6	15	21	46	13	4
11.	The amount of feedback to the instructor about student performance	550	38	42	13	6	0	2	25	46	17	10
12.	The amount of feedback to the student abou his performance	t as as	38	37	17	4	4	4	31	46	13	6
13.	Analysis of frequent failures and repairs the weapon system	of	37	42	21	0	0	4	14	39	29	14
14.	The tools, test equipment, and documentati available to the student to perform each task on the job	on	54	33	12	0	2	15	35	29	21	0
15.	List of malfunctions (faults) that the maintenance man must recognize and correct on the job	62	65	27	6	2	Ó	4	8	48	29	10
16.	Lists of faults that can and cannot be	s	57	29	10	2	2	12	13	33	37	6
	inserted into the device	0	55	29	10	6	0	4	8	46	31	12
17.	The need to demonstrate multiple faults for a single failure		34	36	30	0	0	6	12	44	29	10
18.	The need to include infrequently encountered maintenance tasks		20	30	28	20	2	4	12	53	25	6
19.	The requirement for "hands-on" experience	4 1 2 2 2	63	23	12	2	0	13	17	42	25	2
20.	The amount and type of additional training required on the job		29	42	23	4	2	4	19	44	25	8

Table I (continued)

	information obtain			Ne	ed format					requ info		
	Item of Information		CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTDEME EFENDT
			-	2.	3.	4.	5.	=	2.	e,	4	14
21.	The need for self-paced learning		18	29	18	27	8	4	16	36	24	20
22.	The need for alternative routes (i.e., branching) for learning	35 a 1 6 38 a 40 5 a 40	20	29	27	16	8	4	12	42	32	10
	ECONOMIC CONSIDERATIONS	2507		viis	otdo	313	308	33 31 821	10 TIN 10 TIN 1000		The same of	
23.	The funds available for the project		87	9	4	0	0	27	38	18	9	9
24.	The cost to buy each device	S	85	12	4	0	0	8	20	35	22	1.6
		U	81	6	12	0	0	18	41	27	8	
25.	The cost for spare parts for each device		65	31	4	0	0	6	18	39	25	T
		0	63	29	8	0	0	12	29	39	12	8
26.	The cost to transport and install each device	S	44	23 19	25 27	6	2	12	·51	27 35	8	
27.	The cost to modify NAMTRADET	S	60	23	15	2	0	6	19	44	23	-
27.	facilities to use device	3	60	25	15	0	0	6	21	54	15	
28.	Power and related costs to	S	42	27	19	8	4	13	38	37	8	-
	operate each device	Ö	48	25	19	4	4	12	38	40	8	1
29.	The cost for the routine maintenance of	S	60	23	15	2	0	2	15	54	15	1.
	each device	0	60	21	15	2	2	6	25	54	10	-
30.	The cost to repair each device	S	57	35	8	0	0	2	10	33	35	20
	if it malfunctions	0	55	33	8	2	2	2	22	37	27	12
31.	The cost to update each device as	S	65	25	8	2	0	2	4	46	29	19
46	changes occur in the weapon system	0	71	19	6	4	0	2	8	48	27	15
32.	The cost and number of instructors	s	71	21	6	0	2	0	31	49	6	14
	and support personnel with each device	0	71	23	4	0	2	4	29	49	8	10
	LIFE CYCLE CONSIDERATIONS		mu - 21	band	70	9 30	9SWY	1 upi	FL 86	17	Ed	
33.	Political preferences for different	S	18	20	24	12	24	14	10	47	8	20
	devices	0	14	18	27	16	24	20	10	43	16	10

Table I (continued)

	(bountinos) il eldas interest notosmotori				eed 1					requ info		
WOODE PARKET	Item of Information		1. CRUCIAL	2. EXTREMELY USEFUL	3. USEFUL	4. OPTIONAL	5. TRIVIAL	1. LITTLE EFFORT	2. SLIGHT EFFORT	3. MODERATE EFFORT	4. MAJOR EFFORT	5. EXTREME EFFORT
34.	The expected life of the weapon system	neral	46	38	15	0 .	0	4	23	40	23	10
35.	For a new weapon system, the delivery dates for fleet introduction		54	33	6	6	2	8	37	33	17	6
36.	The number of maintenance personnel required to support the weapon system	7107	52	29	13,	6	0	4	28	48	19	0
37.	The time available to train the personnel required to support the weapon system	ate	60	27	a ya a pa 8	4	2	8	19	48	19	6
38.	The length of time required to procure,	S	69	25	6	0	0	8		42	33	2
	deliver, and install the device	0	75	19	6	0	0	8	17	46	25	4
39.	The availability of information needed to develop a training course		57	37	4	0	2	4	10	41	29	16
40.	The anticipated frequency and complexity of modifications of the weapon system	ven	35	42	19	4	0	0	4	25	43	27
41.	The anticipated capabilities of simulators in the next few years		35	23	31	8	4	2	8	35	37	19
	REPAIR CONSIDERATIONS		55 8	nonw	ter	2 10	red	mile :	sel?	.88		
42.	Estimates of frequency of repair for each device	S		42	10	0	2	4		37	35	13
42			30	50	15	0	2	1 10	1.0	48	35 29	10
43.	Estimates of average time to repair each device	0	40	46	12	0	2	4	-	54	25	4
44.	Requirements for special tools and	S	52	29	17	0	2	6	-	44	15	12
	test equipment to repair each device	0	52	31	15	0	2	8	35	42	13	2
45.	Requirements for specially trained	S	54	40	4	0	2	10	19	46	19	6
increasing	people to repair each device	0	48	37	10	0	6	15	17	42	19	6

int i	tercommission to beale				ed f						ired rmat	
ACCUSED THE CONTRACTOR	Item of Information		CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
9 11	a la fu la la la la		-	2	e.	4.	5.	-:	2.	es.	4.	5.
46.	Requirements for special documenta	tion S	30	28	32	6	4	12	22	34	24	8
	to repair each device	0	24	24	43	6	4	16	30	32	18	4
47.	Availability of spare parts if	S	62	25	13	0	0	8	24	31	27	10
	device requires repair	0	56	27	15	2	0	14	31	33	16	5
48.	Extent of factory support required	S	48	38	8	6	0	8	27	33	27	6
84	to repair device	0	42	42	1,2	2	2	14	26	42	16	2
49.	The accessibility of components of	S	25	23	44	6	2	6	37	37	12	8
Action 1	device requiring repair	0.	23	23	46	4	4	10	41	41	6	2
() ()	PHYSICAL CONSIDERATIONS	to procure.		apan apan	976		117					
50.	The dimensions and weight of the device	becees 10:	19 25	23	40 33	12	6	46 48	31	19 17	2	2
51.	The electrical or other power requ	ire- S	31	29	27	8	6	42	35	17	4	2
٠	ments for each device	0	38	27	25	6	4	44	31	19	4	2
52.	The problems associated with movin	ıq S	13	25	38	15	8	27	39	25	6	2
32.	and storing each device	9 0	13	29	40	12	6	25	48	23	4	0
53.	The durability of each device	s	44	46	6	4	0	8	27	31	22	12
33.	under frequent use	Ö	44	46	6	4	0	6	30	46	14	4
54.	The number of sites where each dev	rice S	37	29	27	6	-		10000	19	6	2
77	will be used	0	37	29	27	4	-	33	40	19	6	2
55.	The number of students who could u	ise S	43	43	12	2	15.50	25	38	29	8	0
33.	each device at the same time	0	41	47	10	2	-	21	42	27	8	2
56.	The number of students to be train	ed S	42	44	6	4	4	12	43	25	18	2.
	with the device in one year	0	46	42	4	4	-	12	-	24	18	2
57.	The duration of the course	n n	22	32	34	5		39	31	23	8	0
58.	The percentage of the class time	s	25	42	19	12	2	19	23	37	19	2
	the device will be used	on o	27	42	19	10		-		37	17	4

Table I (continued)

	On to Help the Decision Maker Decide between powent.	t part Fup3	endal 200		eed orma	for tion	1. 1000					d to tion
	prixed notation of best past of	utlo	CRUCIAL	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL	LITTLE EFFORT	SLIGHT EFFORT	MODERATE EFFORT	MAJOR EFFORT	EXTREME EFFORT
	[] -] -] -] -] -] -] -] -] -]		庄	2.	3.	4.	5.	-	2.	3.	4.	m
59.	The class time that might be saved with each device	0	27	57 59	12	6	0	0	8 6	46	40	6
60.	The scheduling flexibility of the	s	57	27	14	2	0	0	20	54	18	8
	course (i.e., what will happen if the device is inoperative?)	0	53	31	14	2	0	0	22	57	14	3-
nialdo o	CONSIDERATIONS ABOUT INSTRUCTORS AND STUDENTS											
61.	The extent of instructor's experience working with maintenance of the system		14	31	35	12	8	24	33	33	10	0
62.	The extent of the instructor's experience teaching the course		16	18	47	12	8	31	35	29	4	0
63.	The attitudes of instructors about each device	S	41	25	22	6	6	16	18	43	16	6
			31	39	29	8	8	16 12	27 32	39	12	6
64.	The amount of training of instructors required to use each device	0	39	31	25	2	2	18	32	40	10	0
65.	The educational background of potential students	21	29			14			35			2
66.	The maintenance experience of potential students	illion inter	27	22	31	16	4	24	22			2
67.	The attitudes of students about each	s	27	16	Supplier Teples	16	10	8	27	39	16	10
85	device	30	22	14	37	18	10	10	24			10
-	The likelihood that the students may damage the device	00	, dan	deg La			21G	12 B				
Items	The likelihood that the device may cause injury to the student	50	12 t 61	8 D	N.E.	Sel Sir	1025 4025					
New I	The capability of the device for demonstrating safety procedures	0	Ta	991		eo Se	(2) T.S		14	C		
	The ability of the device to duplicate actual operating conditions	5	nst				d (1270			8		

NAME

Section I. Gathering Information to Help the Decision Maker Decide between Simulators and Operational Equipment.

Table I. Information Required for Decision Making

											ed fo			Effo	ort r	equi nfor	red mati	to on
		11111	THININE	DELIGIT						peu	pa	ten	0					
	Ď1			Þ						obtained	obtained					٠	and the latest	
			0					2 bevi		be of		9	ned	uo	uo	tion	- 63	information
					21			[0]	ped		d be	be obtained	btai	nati	mati	orma	atio	rmat
								- PA	tai	pluods	lon	obt	0 e	for	fon	inf	orm.	nfo
			0	\$.	+1		5.5		be obtained	on S	y st		ot b	ı lı	n fr	obtain information	in	1.
									must	Information	n probably should	OPTIONALthe information might	TRIVIALthe information need not be obtained	to obtain information	to obtain information	to	to obtain information	T to obtai
	8.8	2.5	8	i u				e one in	CRUCIAL the information	USEFULthe	information	informat	nformati	EFFORT	r EFFORT	ATE EFFORT	MAJOR EFFORT to	WE EFFORT
						18.0			-the ir			the	the in	LITTLE	SLIGHT	S MODERATE		EXTREME
	It	em c	of In	form	atio	0 25 24		00.5	CRUCIAL	EXTREMELY	USEFULthe	OPTIONAL	TRIVIAL	requires	requires	requires	requires	requires
			10	10	104			270734	1-	2.	3.	4.	5.		2.	3.	4.	2
				TENT					70	brita		ad Inei	sne suu e e	161	ubė žasi	an T eq	.88	1
1				stude				each form	73	13	8	6	0	10	8	25	42	15
2				it si m eac			e tl	ne student	10	38	37	8	8	4	18	43	29	6
3	t	ion	avai	, tes lable and	e to	the	stud	and documenta- lent during	62	38	2	0	0	19	35	35	6	
4	. T	he c	rite nt's	ria (used forma	to e	valu	ate the each task	56	19	21	4	0	10	25	35	23	8
5	. Т	he t	rain	ing o	bje	tive	s of	the course	В3	8	8	0	2	18	25	33	24	1
6	. Ţ	he a	moun	t of	supe	rvis	ion	provided on	6	37	38	13	6	23	35	35	4	4

NAME_

Table II. Sources of Information for Decision Making

63 Seek 3.Twamoo

	Ne	ed to	con	sult	
The state of the s	consulted of	VERY USEFUL should be consulted	uld be consulted	OPTIONALmight be consulted	t be consulted
specialists and see that see the second see that see the second s	pe v and v a	SEFUL	ly sho	t be c	ed no
	- Wust	RY L	pap	igh	1-1
2*efallers	RY-	The second second second	l d		SAR
Source of Information	MANDATORY must be	PROBABLY	USEFULprobably should	OPTIONA	UNNECESSARY need not
131 AL (SC 85)	skap snor yye	2	e.	4.	5.
PERSONNEL	OCCUPANTS				
1. Instructors of the course makey modely and to allege	n 92000 71	21	8	0	0
2. Instructors teaching similiar courses	19	35	33	13	0
2. Instructors teaching similar courses		42	21	10	0
3. Instructors who are teaching with simulators	27	4	_	10	6
TO SECURE AND ADDRESS OF THE PROPERTY OF THE P	27	23	17	10	0.000
3. Instructors who are teaching with simulators	HE VIEW H		17 19	8	0
Instructors who are teaching with simulators Training analysts	44	23	19	-	0
3. Instructors who are teaching with simulators 4. Training analysts 5. Personnel doing the maintenance job in the fleet	44	23	19	8	-
3. Instructors who are teaching with simulators 4. Training analysts 5. Personnel doing the maintenance job in the fleet 6. Graduates of the course	44 44 14	23 29 35	19	8	2

packaging, band) (mg. storage, and transportation requirements for equipment)

	Table II (continued) Only the nection for nection to continue and the second s			ed to		
	DULLY THE TAKEN OF THE PARTY AND THE TAKEN OF THE TAKEN O	-	CO	nsul	t 	Г
baifueron ad biv	Source of Information	MANDATORY	PROBABLY VERY USEFUL	USEFUL	OPTIONAL .	UNNECESSARY
		-	2.	3.	4.	5.
10.	Navy supply specialists	12	29	35	15	10
11.	Navy procurement specialists	23	17	42	12	6
12.	Navy safety specialists	24	27	35	12	2
13.	Manufacturers of simulators	52	23	17	6	2
14.	Navy school administrators	27	31	29	12	2
15.	Navy management	28	32	16	20	4
	DOCUMENTS	13 36	e di di		and the second	
16.	Maintenance manuals for the weapon system	92	8	0	0	0
17.	Flight manuals of the weapon system	54	22	8	10	6
18.	Maintenance Plan (i.e., written record of maintenance concept for system and equipment, including maintenance tasks, level of repair analysis, and support and test equipment requirements)	88 an i	10	2	0	0
19.	Personnel and Training Plan (i.e., written record of personnel and training required to operate and support the equipment)	73	12	12	4	0
20.	Technical Data Plan(i.e., written description of all information aids necessary to operate and support the equipment)	63	27	10	0	0
21.	Facilities Requirements Plan (i.e., written record of shipboard, shore, operational, maintenance, and training facilities)	38	42	16	4	0
22.	Transportation and Handling Plan (i.e., written record of packaging, handling, storage, and transportation requirements for equipment)	19	23	42	6	10

mention and the second
and the second s

-->-->-->

		Past		863	ert a								
		S brack										d to sult	
	th at baccross and an	ource (hazzenda să tan besy li	beggestibe ad lighten for	ma tic	יים ומפוני מושנות זיים פוסנום מיים	the squire squires and		1. MANDATORY	2. PROBABLY VERY USEFUL	3. USEFUL	4. OPTIONAL	E LINNECESCADY
23	3. F	Releva	nt g	over	nmen	t in	struc	ns .	38	25	25	10	
	1. F	Researc	:h ai	nd e	valua	atio	n rep	s on maintenance simulators	49	22	22	8	(
24	1	Researce for tra	h p	erso ng	nnel	ехр	erien	with simulators used					
24					the	pot	entia	or manufacturing simulators	Y.T	ray.			
	1		ies	witch			1 35		St.	204			
New items			ies	WICH				ens to grame problems of the	3 E.S.	Eva]	-5		

AD-A052 715

NAVAL AIR DEVELOPMENT CENTER WARMINSTER PA AIRCRAFT --ETC F/6 5/9

SIMULATORS IN AVIATION MAINTENANCE TRAINING: A DELPHI STUDY.(U)

DEC 77 R M HERRICK, J B WRIGHT

NADC-78015-60

NL

END

PATE
TIMEO

DEC

TO

DEC

T

Section II. The Implementation of a Decision to Use Simulators.

Table III. Issues to be Addressed in Procuring Simulators

						to n is		ess					e ir
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Issues S. Lesser	ue .	to be addressed to encompanion and and beau exception and and the base exception and the base beau exceptions and the base beau exceptions and the base beautiful and the base beautifu	CRUCIALthe issue must be addressed	EXTREMELY USEFULthe issue should be addressed	USEFULthe issue probably should be addressed	OPTIONAL the issue might be addressed	TRIVIALthe issue need not be addressed	issue ALMOST ALWAYS has been addressed in the past	issue FREQUENTLY has been addressed in the past	issue OCCASIONALLY has been addressed in the past	issue INFREQUENTLY has been addressed in the past	ssue ALMOST NEVER has been addressed in the past
			0020 2100000000000000000000000000000000	١.		3. U	4.0	5. T	1.	7 G T	3. 1	4. i	5. 1
1.	Veri the	fy si	that course objectives are met with mulator system	96	2	0	0	2	18	14	37	20	12
2.	sime	ula	e the training effectiveness of the tor system by testing student mance	83	15	0	2	0	24	12	25	22	18
3.	- 1		all costs associated with the tor are within estimates	44	33	17	2	4	12	30	26	18	14
4.		e10	sh and monitor time schedules for pment and installation of the tor	44	38	15	0	2	22	39	25	10	4
5.	Insu	re	provisions for updates and changes	65	33	2	0	0	10	27	31	12	20
6.	span	re	that adequate tools, documentation, parts, and personnel are available pair of the simulator	78	20	2	0	0	8	33	24	18	18

Table III (continued)

	Personnel Data Sheet	Need to address an issue			Past performance in addressing an issue						
	this study was want to identify the partitipants on their backgrounds. (The opinions sed consource, remain confidential, no name with mt.) our report please provide the following type or print your rank or other title. If name, and your rank or other title. It name, and your address.	, and	EXTREMELY USEFUL	USEFUL	OPTIONAL	TRIVIAL 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ALMOST ALMAYS addressed	FREQUENTLY addressed	OCCASIONALLY addressed	INFREQUENTLY addressed	ALMOST NEVER addressed
		-:	2.	3.	4.	5.	1.	2.	3.	4.	5.
7.	Verify that actual repair frequency and "downtime" are within estimates	29	41	27	0	2	6	20	33	29	12
8.	Insure the training site is adequately prepared for installation of simulator	67	29	4	0	0	25	25	35	8	8
9.	Establish and monitor time schedules for NAMTRADET course	31	33	27	4	4	23	33	29	6	8
10.	Establish follow up procedures to monitor instructor and student attitudes toward the simulator system	25	40	31	2	2	6	19	19	31	25
11.	Insure adequacy of instructor training for use of simulator system	67	21	8	2	2	10	21	35	29	6
12.	Insure adequate human factors design requirements have been met	37	50	8	4	2	6	17	38	27	12
13.	Evaluate instructor performance	40	37	19	2	2	13	31	21	13	21
14.	Establish effective channels of communi- cation between instructors and management	38	38	12	10	2	10	27	33	22	8
15.	Assess all effects resulting from introduction of simulator system	27	57	12	2	2	8	12	24	22	35
16.	Prevent overuse of the simulator as a toy to impress visiting dignitaries	21	19	33	12	15	2	4	21	23	50
New items	Establish programs to teach instructors how to use simulators for training									÷	
Ne	91-9										

Personnel Data Sheet

In the final report on this study we want to identify the participants and provide some information on their backgrounds. (The opinions and comments you provided will, of course, remain confidential; no name will be associated with any comment.)

For inclusion in the final report please provide the following information.

(bauntimoo) III sids?

1. In the space below, type or print your rank or other title (e.g., Dr., Prof., ATCS), your name, and your address.

2. Please check one item in the list of institutional affiliations and one item in the list of jobs.

Institutional Affiliation	Principal Job
Navy, Marines Army	NAMTRADET instructor Administrator Researcher
Air Force Industry University Other (specify)	Project leader University professor Consultant Other (specify)

10501

istablish effective channels of communi-

Frevent overuse of the simulator as a

3. Briefly describe the extent of your knowledge or experience with simulators, including the names of the simulators.

Before mailing,

Please check to see that you have:

- a) completed the new items in the tables
- b) enclosed Tables I (6 pages), II (3 pages), and III (2 pages)
- c) enclosed the Personnel Data Sheet.

APPENDIX F

Statistical analyses of data

1. Problem of consensus

One aim of the Delphi technique is to determine the items on which the experts are in agreement. Complete agreement would occur, of course, if all the experts selected the same alternative. For example, in response to an item, if the experts were to select one of five alternatives (varying from, say, "crucial" to "trivial") and all selected, say, alternative two ("extremely useful"), complete agreement would exist. On the other hand, if the responses of the experts were randomly distributed among the five alternatives, no agreement would exist.

To specify precisely what is meant by consensus of opinion some statistical definition of consensus must be derived. Some authors have concluded that a consensus of opinion existed if 50% of the experts selected the same category. Other authors have used more sophisticated measures to define consensus, usually some measure of variability.

Consideration of the problem of defining consensus suggests that two crucial variables must be considered: the number of experts participating and the number of alternatives available. The essential question is whether the division of the experts' responses among the several alternatives is likely to occur by chance. If chance is a likely outcome, then consensus cannot be said to exist.

2. Probability considerations on consensus

Evaluation of chance outcomes may be determined with the aid of probability theory. The assignment of experts' responses to alternatives may be considered analogous to the classical probability scheme of randomly assigning balls to urns. If we have five urns (representing five response alternatives) and, say, 20 balls (representing the selections of 20 experts), how would the balls be randomly distributed among the urns? Ten computer simulations of the problem (20 balls randomly distributed among five urns) gave the results indicated in Table F-1. Table F-1 indicates, for example, that in the seventh simulation, of the 20 balls, two 'lls fell in Urn No. 1, one in Urn No. 2, nine in Urn No. 3, three in Urn No. 4, and five in Urn No. 5. This simulation is analogous to two experts selecting alternative one (e.g., "crucial"), one expert selecting alternative two ("extremely useful"), nine experts selecting alternative three ("useful"), etc ...

Table F-1

Number of balls randomly assigned to each of five urns assuming equal probability (p = .20) that any of the 20 balls will fall in any urn

Simulation	Urn number "talanta", and					
number	egreenen the exp	, com y lete seponses o	and it	A A	To the second	
1 le aparestio	3	3		6	9229 3	
2 9 9 19	6 6 100	pag 30 no	minimized in	4	4	
in Diler a	daeta es	me orth bet	4 8 3 3	4	4	
4	6	fili s elues	5 5 10 BA	0	4	
ng conse t yis ed the com	inijab je mahlenco	e prog lan	do 12 doi:	teredianal	2007	
vs 6 vilante	0	2 12	000 000 000	8	TOUR T	
o o 7 yleali Rodinsenson	21 9 VIII	al sitera	Teves of the	Dear - mone	ogaan.	
8	6	4	3	2 2	5	
9	3	3 3	5 5 5	7, 7, 11169	2	
10	4 4	24/105/200	3 70	noi ray lavi	5	

Continuing the analogy further, statistical measures of central tendency and variability may be computed for each row of data in Table F-1. To perform such computations, assume that the Urn Numbers represent scores; thus, Urn No. 1 represents a score of value 1, Urn No. 2 represents a score of value 2, Urn No. 3 represents a score of value 3, etc. Assume further that a score stands for a class interval that extends half a unit below and above its nominal value. Thus, a score of 1 represents a class interval extending from 0.5 to 1.5 (or 1.4999), a score of 2 represents a class interval extending from 1.5 to 2.4999, etc.

To describe the situation in terms of the responses of experts to a questionnaire item, consider Simulation No. 7 of Table F-1. In this case, two experts selected category 1 ("crucial"), and each received a score of 1; one expert selected category 2 and received a score of 2; nine experts selected category 3 and each received a score of 3, etc.. From this frequency distribution of scores, one may compute statistical measures to summarize the distribution. Thus, the mean score is (2x1 + 1x2 + 9x3 + 3x4 + 5x5)/20 or 3.40. The median or 50th percentile, namely, the point below which fall 10 scores and above which fall 10 scores, occurs within the class interval nominally called score 3, namely, between 2.50 and 3.4999. Since three scores fall below 2.5, and nine scores fall within the class interval, the median is 2.5 + (7/9)(1) or 3.278. Thus, for this row of data of Table F-1, the mean is 3.40 and the median is 3.278.

Following similar reasoning, one may compute measures of variability for each row of data of Table F-1. For example, for Simulation No. 7 of Table F-1, the 25th percentile (P_{25}) is 2.722 and the 75th percentile (P_{75}) is 4.500, so the interquartile range, namely, $P_{75}-P_{25}$, is 1.778. [The smallest interquartile range possible is 0.50, and this would occur if all selections were the same alternative.]

3. Statistical definition of consensus

Following the procedure described in the preceding section, simulations were performed with the aid of a computer. The goal of the simulations was to determine what interquartile ranges would be likely to result on the basis of chance. Such interquartile ranges, would, of course, indicate a lack of consensus. However, smaller interquartile ranges, below those likely to occur by random assignment, can be considered examples of consensus.

All simulations employed five response alternatives (five urns), because the questionnaire items had five categories. In one set of 1,000 simulations, the number of "judgments" (balls) used in each simulation was 35, which corresponded approximately to the number of NON-NAMTRADET experts. In another set of 1,000 simulations, the number of "judgments" used in each simulation was 25, which corresponded approximately to the number of NAMTRADET experts. In addition, in a set of 1,000 simulations, the number of "judgments" used in each simulation was 20, as in Table F-1. This last set of simulations was included to represent cases where some of the NAMTRADET experts failed to respond to an item.




Figure F-1. Distributions of interquartile ranges derived from Monte Carlo simulations with five Each distribution represents 1,000 simulations. response categories.


The results of the simulations are summarized in Figure F-1. Figure F-1 shows that, with "judgments" randomly assigned to any of five alternatives, the interquartile range typically falls between about 1.80 and 3.00. The cut-off point, selected as an index of consensus, was 1.2999. That is, in the present study, if the responses to a questionnaire item yielded an interquartile range of less than 1.30, a consensus of opinion was said to exist. If the item yielded an interquartile range of 1.30 or greater, it was concluded that no consensus existed.

This index of consensus, namely, an interquartile range less than 1.30, is a stringent measure, selected to exclude almost all cases where the results might occur by chance. In the 1,000 simulations with 35 "judgments" none fell below 1.30; in the 1,000 simulations with 25 "judgments", only three fell below 1.30; in the 1,000 simulations with 20 "judgments", only four fell below 1.30. The selection of such an extreme measure of consensus means, of course, that a questionnaire item on which a consensus of opinion really existed might be classified as an item of non-consensus.

4. Evaluation of difference between the two groups

For each questionnaire item, the difference between the NAMTRADET distribution of judgments and the NON-NAMTRADET distribution of judgments was evaluated by the Kolmogorov-Smirnoff (K-S) two-sample test. The K-S two-sample test "is sensitive to any kind of difference in the distribution from which the two samples were drawn--differences in location (central tendency), in dispersion, in skewness, etc." (Siegel, 1956).

Occasionally, not all experts responded to an item. This minor variation in the number of responses was ignored in order to simplify comparisons between the two groups of experts. Also ignored was the difference in the two sample sizes, since this difference would have only a small influence on the outcome. The comparison between the two distributions for a questionnaire item was considered to be statistically significant if the difference between the two cumulative percentage distributions differed by 40 percentage points or more at any response alternative. A difference of 40 percentage points represents a difference significant at the .05 level, two-tailed test, when each sample contains 25 responses. (With $n_1 = n_2 = 30$, at the .05 level, two-tailed test, the difference required is 37 percentage points.)



APPENDIX G

Summary of comments made by experts

- A. Evaluation of and skepticism of comments of others
 - --"I would have liked many times to have said I didn't really know but I know that I know better than most people who will be less reticent."
 - --"Maybe the other experts are wrong and ignorance is being pooled."
 - -- "These kats don't know what they are talking about."
 - --"My best response is that you have a mixed bag of respondents, many of whom do not know where the cost savings leverage rests."
 - --"I am stunned that so many are willing to state the effectiveness of simulators is so much better than operational equipment. Where is the data?"
 - -- "Where do all these guys get the idea that simulation is cheap?"
 - --"I would question the actual experience of some of the responders with regard to operational equipment designed for training."
- B. Discussion about "the decision" objective
 - -- "Many items I marked trivial are <u>crucial</u> in determining training course strategies but don't affect the simulator v. hardware decision."
 - -- "Most 'trivial' items are germane to NAMTRAGRU Headquarters, not Chief of Naval Material."
 - --"I think other people responded to general course planning, not specific decisions."
 - --"I found it hard to keep the overall objective in mind."
 - --"These are important questions to the actual development of maintenance trainers--but don't appear very necessary to making a choice between operational equipment or simulators."
- C. Difficulty with interpretation of items
 - -- "Answer depends on interpretation."
 - -- "Too specific."
 - -- "Bad term."
 - -- "Question and answer contingent on interpretation of 'need'."

-- "Question somewhat ambiguous."

--"I interpret this as Congress not as school commander."

--"I am assuming you mean the evaluation for a particular

phase and not the complete course."

- --"It is usually difficult to ask the right questions and even is you do, you do not know what criteria the person who is responding is using for each item on the questionnaire."
- D. Discussion about the "effort to obtain" information
 - -- "Information is not available when decision must be made."
 - -- "Rarely is all this information available in the real world at the time the equipment is selected."
- E. Most experts underestimated difficulty
 - -- "This should be easy to do but just isn't."
 - --"I think I rated this information harder to obtain because I am not satisfied with anything but 'hard' data."
 - --"I think the Navy doesn't have a readily accessible system to do this--the data are probably there but hard to get."
 - --"For the most part my ratings are higher on the effort side because of bitter experience at trying to pry these things loose from the fleet and the primes."
- F. Experts overestimated difficulty
 - -- "This may not be documented but it's usually easy to find out."
- G. Ideas for new work, areas of consideration
 - --"What is missing or weak are questions addressing linkage between recommendation and adaptation, i.e. who is decision maker?"
 - --"I do feel that training simulators could have a major impact on ... maintenance training (at all levels)... but, unfortunately the manufacturers of these simulators (and even the research community) have totally failed to exploit the potential capabilities of these systems... I would suggest that the Naval administrators first find out how to more imaginatively use simulators and how to stimulate a new and more instructionally relevant generation of simulators to be built.."

- --"I have always believed that a few courses should be offered in the design of simulators... the need to train engineers and others to design simulators is a real need... I would suggest that your study be the beginning of a handbook or textbook, to be published by a major technical publisher... Such a test would be the guts of a course which could be given through an extension division of a state institution. Such a course could run during the summers and be sponsored, i.e., supported spiritually (not financially), by the military training organizations. I readily admit that the number of individuals reading the book and/or taking the course will always be relatively small. Despite this, the need explored in the context of your Delphi study is real and will probably increase over the next 25 years--our productive lifespans."
- --"I don't believe the Navy is taking advantage of the technical skills available when they (simulators) are designed. There is absolutely too much inferior workmanship in some of the details. I have pointed this out to a number of people but I never get any kind of feedback. Does the Navy intend to let these people continue to put out consoles that fall apart and electronic boards that will only fit in certain slots?"
- H. Justification for changes/choices on earlier questionnaires

Changes

- --"My opinions on cost effectiveness, which are more liberal than average, are based on the data (limited data) which are available comparing the ______ with MTUs. These data generally show enormous savings ratios."
- --"I have changed my mind. I talked with who teaches and uses the for the hydraulics systems. He has convinced me that they are superior to mock-ups, for instance, the ease of entering system malfunctions, upkeep and space requirements."
- -- "Marked wrong block first time."

Remained with first choice

- -- "I insist, it requires extreme effort to do this right."
- -- "Provisioning is critical."
- --"I insist, "hands on" experience is the only way."

--I do not wish to change any of the opinions expressed as they are my own. After 15 years of working with aircraft... and now working and teaching daily with simulators, I feel that some areas of instruction just cannot be simulated adequately."

--"Without further amplification of the questions, I find it difficult for an expert to change his mind merely on the basis that others checked a different

block."

I. Skepticism of simulator manufacturers

--"The manufacturers tell one story when selling something and another when they have to repair it or supply parts for it."

J. Difficulty with cost comparisons

-- (Simulators) may not be less expensive in the long run."

--I am somewhat rusty when comparing the cost of simulators and cost of operational equipment for each particular subsystem."

--"Development costs (for simulators) are high and are in addition to development costs for the original equipment."

--"Depending on the quality of the training analyses and the specifications derived from them, simulators could be less expensive--or more cost-effective, which you probably should have asked about--then operational gear."

-- "I had difficulty with the \$200,000 limit."

--"I think you are mistaken to set a limit of 200K per device. Each requirement should be handled on an individual basis."

K. Criticism of O and I Tables

-- "Considering the limited nature of O level tasks, simulation

is easily applied to all categories of equipment."

--"In this day and age anything along the lines of this inquiry is feasible. Just because something is feasible does not mean it's necessary... each situation of each area of each system must be analyzed and determined on actual facts and this determines what method is best to present the material to be learned."

--"I just don't feel comfortable trying to answer such

abstract questions about these systems, even though I'm familiar with most of the systems. Current state of the art probably makes simulation feasible for all such systems. Properly used such simulators could be more effective than operational equipment."

DISTRIBUTION LIST

REPORT NO. NADC-78015-60

AIRTASK NO. A413413A-0016-X413000030

	No. of Coples
Chief of Naval Personnel (Pers-10c)	1
Chief of Naval Education and Training (N5)	1
Naval Air Systems Command, Code 413	5
Naval Air Systems Command, Code 340	2
Naval Air Systems Command, Code 954	3
Chief of Naval Education and Training Support	1
Chief of Naval Technical Training	1
Chief of Naval Technical Training (016)	1
Chief of Naval Material	1
Commander Training Command, Pacific	1
Commander Training Command, Atlantic (Code N3A)	1
Commanding Officer, Naval Education and Training Program	
Development Center	1
Commanding Officer, Naval Development and Training Center,	
Code 0120	1
Commanding Officer, Service School Command, San Diego	1
Commanding Officer, Naval Aerospace Medical Institute	
(Library Code 12)	2
Director, Training Analysis and Evaluation Group (TAEG)	1
Commanding Officer, Naval Aviation Maintenance Training Group	5
Office of Naval Research, Engineering Psychology	2
Commanding Officer, Naval Personnel and Research Development	
Center	5
Commanding Officer, Naval Training Equipment Center	5
U. S. Army Research Institute for the Behavioral and	
Social Sciences	3
Personnel Research Division, Air Force Human Resources	
Laboratory (AFSC), Lackland Air Force Base	1
Technical Training Division, Air Force Human Resources	
Laboratory, Lowry Air Force Base	1
Advanced Systems Division, Air Force Human Resources	
Laboratory, Wright-Patterson Air Force Base	1
Defense Documentation Center	12